Surface Science 229 (1990) 526–534
North-Holland

AUTHOR INDEX

Abstreiter, G., see Egeler 229 (1990) 391
Abstreiter, G., see Bockelmann 229 (1990) 398
Adams, A.R., see Lancefield 229 (1990) 122
Agulló-Rueda, F., see Brum 229 (1990) 472
Ahmed, H., see Wharam 229 (1990) 233
Akera, H. and T. Ando, Current distribution and Hall resistance in quantum wires 229 (1990) 268
Alexander, M.G.W., see Nido 229 (1990) 195
Alikacem, M., M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M. Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn, High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface 229 (1990) 428
Allen, Jr., S.J., see Helm 229 (1990) 199
Allen, Jr., S.J., see Brozak 229 (1990) 493
Allovon, M., see Soucail 229 (1990) 468
Alphenaar, B.W., see McEuen 229 (1990) 312
Alsmeier, J., E. Batke and J.P. Kotthaus, Field-effect tunable quantum dots on silicon 229 (1990) 287
Ando, T., see Akera 229 (1990) 268
Andrei, E.Y., see Glattli 229 (1990) 344
Ashenford, D., see Alikacem 229 (1990) 428
Auer, I., see Lim 229 (1990) 50
Auzoux, S., see Harris 229 (1990) 113
Awschalom, D.D., M.R. Freeman, C. Hsu and L.L. Chang, Ultrafast spin dynamics in diluted magnetic semiconductor superlattices 229 (1990) 145

Bangert, E., see Heuring 229 (1990) 76
Baranger, H.U. and A.D. Stone, Geometrical effects on the Hall resistance in ballistic microstructures 229 (1990) 212
Bass, S.J., see Hayes 229 (1990) 512
Bastard, G., see Ferreira 229 (1990) 165
Bastard, G., see Ferreira 229 (1990) 192
Bastard, G., see Ferreira 229 (1990) 424
Batke, E., see Alsmeier 229 (1990) 287
Batov, I.E., see Talyanskii 229 (1990) 40
Batty, W., see Lancefield 229 (1990) 122
Bauer, G.E.W., Correlation effects on the optical properties of confined plasmas 229 (1990) 374
Bauer, G.E.W., see Viña 229 (1990) 504
Beaumont, S.P., see Galloway 229 (1990) 326
Beenakker, C.W.J., see Williamson 229 (1990) 303
Behringer, R., see Timp 229 (1990) 219
Benoit à la Guillaume, C., see Scalbert 229 (1990) 464
Berroir, J.M., Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie, Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices 229 (1990) 501
Berthold, G., see Demmerle 229 (1990) 169
Beton, P., see Galloway 229 (1990) 326
Blom, F.A.P., P.F. Fontein, J.H. Wolter, F.M. Peeters, X. Wu, F. Geerinckx and J.T. Devreese, Temperature dependence of the amplitude of the Shubnikov–De Haas oscillations in a two-dimensional electron gas 229 (1990) 70
Blondeau, E., see Lavielle 229 (1990) 119
Bockelmann, U., P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp, Relevant scattering processes, band gap renormalization and Moss-Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells 229 (1990) 398
Böckenhoff, E. and K. von Klitzing, Spectroscopy of the Fermi energy in quantizing magnetic fields via resonant tunneling 229 (1990) 182
Brakewood, H.E., see Syphers 229 (1990) 37
Branch, J.V., see Clark 229 (1990) 25
Brey, L. and B.I. Halperin, Possible spin-density wave in wide parabolic quantum wells 229 (1990) 142
Broekaart, M.E.I., see Williamson 229 (1990) 303
Brozak, G., F. DeRosa, D.M. Hwang, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez and S.J. Allen, Jr., Measurement of the effective mass along the growth direction of a thin-barrier GaAs–AlAs superlattice 229 (1990) 493
Brum, J.A. and F. Agulló-Rueda, Stark ladder excitonic transitions 229 (1990) 472
Brylinksi, C., see Lavielle 229 (1990) 119
Buisson, O., see Pannetier 229 (1990) 331
Büttiker, M., Transmission probabilities and the quantum hall effect 229 (1990) 201
Büttiker, M., see Ford 229 (1990) 298

Elsevier Science Publishers B.V. (North-Holland)

Calecki, D. and G. Fishman, Surface-limited resistivity in 2D-semiconductors and 2D-metals: influence of roughness modeling 229 (1990) 110
Carter, M., see Galloway 229 (1990) 326
Cernogora, J., see Scalbert 229 (1990) 464
Chakraborty, T., Spin-reversed ground state and energy gap in the fractional quantum Hall effect 229 (1990) 16
Challis, L.J., see Russell 229 (1990) 54
Chang, A.M. and T.Y. Chang, Quenching of the Hall effect in a novel geometry 229 (1990) 209
Chang, A.M. and J.E. Cunningham, Transmission and reflection probabilities between the $\nu = 1$ and the $\nu = \frac{2}{3}$ quantum Hall effects 229 (1990) 216
Chang, L.L., see Awschalom 229 (1990) 145
Chang, L.L., see Mendez 229 (1990) 173
Chang, T.Y., see Chang 229 (1990) 209
Charfi, F.F., see Scalbert 229 (1990) 464
Chaussy, J., see Pannetier 229 (1990) 331
Chen, W.M., B. Monemar, Q.X. Zhao, P.O. Holtz, M. Sundaram, J.L. Merz and A.C. Gossard, Characterization of GaAs/AlGaAs heterojunctions by optical detection of cyclotron resonance 229 (1990) 484
Cheung, R., see Hansen 229 (1990) 321
Chevoir, F. and B. Vinter, Calculation of incoherent tunneling and valley current in resonant tunneling structures 229 (1990) 158
Chevy, A., see Howell 229 (1990) 496
Chu, X., see Berroir 229 (1990) 501
Cingolani, R., see Feldmann 229 (1990) 452
Clark, R.G., S.R. Haynes, J.V. Branch, A.M. Suckling, P.A. Wright. P.M.W. Oswald, J.J. Harris and C.T. Foxon, Spin configurations and quasiparticle fractional charge of fractional QHE ground states in the $N = 0$ Landau level 229 (1990) 25
Colas, E., see Helm 229 (1990) 199
Cox, R.T., see Tuffigo 229 (1990) 480
Crookes, C.G., see Lancefield 229 (1990) 122
Cunningham, J.E., see Chang 229 (1990) 216
Cunningham, J.E., see Timp 229 (1990) 219

Dabiran, A.M., F.F. Fang, T.P. Smith III and P.J. Stiles, Floating gate technique as a thermodynamic probe of two-dimensional electron systems 229 (1990) 67
Dahm, A.J., see Jiang 229 (1990) 352
Damen, T.C., see Oberli 229 (1990) 189
D'Anterroches, C., see Gerard 229 (1990) 456
Das Sarma, S., S. He and Qiang Li, Optical and transport properties of one-dimensional quantum wire structures 229 (1990) 264
Das Sarma, S., see Jalabert 229 (1990) 405
Davies, M., see Alikacem 229 (1990) 428
Dawson, P., see Feldmann 229 (1990) 452
De Waele, A.T.A.M., see Janssen 229 (1990) 365
Degani, M.H. and O. Hipólito, Electron – polar optical phonon scattering rates in multisubband quantum wire structures 229 (1990) 279
Delalande, C., see Ferreira 229 (1990) 192
Demel, T., see Kern 229 (1990) 256
Demel, T., see Shikin 229 (1990) 276
Demel, T., see Egeler 229 (1990) 391
Demmerle, W., J. Smoliner, G. Berthold, E. Gornik, G. Weimann and W. Schlapp, Magneto-tunneling between barrier-separated 2D electron gas systems 229 (1990) 169
DeRosa, F., see Helm 229 (1990) 199
DeRosa, F., see Brozak 229 (1990) 493
Deville, G., see Glattli 229 (1990) 344
Devreese, J.T., see Blom 229 (1990) 70
Di Forte-Poisson, M.A., see Lavielle 229 (1990) 119
Dietsche, W., see Lega 229 (1990) 116
D'Iorio, M., see Ma 229 (1990) 80
DiVincenzo, D.P., see Hansen 229 (1990) 321
Dmowski, L., see Alikacem 229 (1990) 428
Dobers, M., Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126
Dransfeld, K., see Lehndorff 229 (1990) 362
Drew, H.D., see Karraï 229 (1990) 515
Duburcq, V., see Glattli 229 (1990) 344
Durbin, S., see Fu 229 (1990) 148

Eaves, L., see Skolnick 229 (1990) 185
Eaves, L., see Alikacem 229 (1990) 428
Eaves, L., see Hayes 229 (1990) 512
Egeler, T., G. Abstreiter, G. Weimann, T. Demel, D. Heitmann and W. Schlapp, Grating coupler effects on inelastic light scattering by plasmons in micro structured GaAs MQW systems 229 (1990) 391
Eisenstein, J.P., H.L. Stormer, L.N. Pfeiffer and K.W. West, Spin-dependent properties of the fractional quantum Hall effect at odd denominators 229 (1990) 21
Eisenstein, J.P., R.L. Willett, H.L. Stormer, L.N. Pfeiffer and K.W. West, Activation energies for the even-dominator fractional quantum Hall effect 229 (1990) 31
Ekenberg, U., see Wharam 229 (1990) 233
Ekenberg, U., Wave function engineering in asymmetric modulation-doped quantum wells 229 (1990) 419
Emeny, M., see Lancefield 229 (1990) 122

Engel, L., H.P. Wei, D.C. Tsui and M. Shayegan, Critical exponent in the fractional quantum Hall effect 229 (1990) 13
Engel, L., see Shayegan 229 (1990) 83
England, P., see Helm 229 (1990) 199
Etienne, B., see Ferreira 229 (1990) 192
Etienne, B., see Glattli 229 (1990) 344
Etienne, B., see Stępniewski 229 (1990) 519

Fang, F.F., see Dabiran 229 (1990) 67
Fang, F.F., see Luo 229 (1990) 73
Fasol, G., see Jusserand 229 (1990) 394
Fasolino, A., see Potemski 229 (1990) 151
Faurie, J.P., see Berroir 229 (1990) 501
Feldmann, J., R. Sattmann, G. Peter, E.O. Göbel, J. Nunnenkamp, J. Kuhl, J. Hebling, K. Ploog, R. Cingolani, R. Muralidharan, P. Dawson and C.T. Foxon, Determination of Γ–X transfer rates in type II (Al)GaAs/AlAs superlattices 229 (1990) 452
Ferreira, R. and G. Bastard, Assisted hole tunneling in double quantum well structures 229 (1990) 165
Ferreira, R., H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne, Electron, hole and exciton tunneling in a biased quantum well structure 229 (1990) 192
Ferreira, R. and G. Bastard, Some calculations on the Wannier–Stark states 229 (1990) 424
Ferry, D.K., see Ma 229 (1990) 341
Fischer, A., see Lega 229 (1990) 116
Fishman, G., see Calecki 229 (1990) 110
Fletcher, R., see Ma 229 (1990) 80
Florez, L.T., see Kash 229 (1990) 245
Florez, L.T., see Brozak 229 (1990) 493
Fontein, P.F., P. Hendriks and J.H. Wolter, Contactless measurement of the spatial potential distribution in the quantum Hall effect 229 (1990) 47
Fontein, P.F., see Blom 229 (1990) 70
Forchel, A., see Lim 229 (1990) 50
Ford, C.J.B., S. Washburn, M. Büttiker, C.M. Knoedler and J.M. Hong, The Hall effect in ballistic junctions 229 (1990) 298
Ford, C.J.B., A.B. Fowler, J.M. Hong, C.M. Knoedler, S.E. Laux, J.J. Wainer and S. Washburn, Gated, asymmetric rings as tunable electron interferometers 229 (1990) 307
Fowler, A.B., see Ford 229 (1990) 307
Foxon, C.T., see Clark 229 (1990) 25
Foxon, C.T., see Ma 229 (1990) 80
Foxon, C.T., see Harris 229 (1990) 113
Foxon, C.T., see Williamson 229 (1990) 303
Foxon, C.T., see Feldmann 229 (1990) 452
Foxon, C.T., see Wiggins 229 (1990) 488
Fozooni, P., see Stone 229 (1990) 359
Freeman, M.R., see Awschalom 229 (1990) 145
Frost, J., see Stone 229 (1990) 359
Frost, J.E.F., see Wharam 229 (1990) 233
Fu, Q., N. Pelekanos, A.V. Nurmikko, S. Durbin, J. Han, O. Sungki, D. Menke, M. Kobayashi and R.L. Gunshor, Strong confinement effects in CdTe/MnTe quantum wells: a new strained layer binary II–VI heterostructure 229 (1990) 148
Fujii, T., see Komiyama 229 (1990) 224
Fukano, A., see Wakabayashi 229 (1990) 60
Fukase, T., see Wakabayashi 229 (1990) 60
Furneaux, J.E., D.A. Syphers, J. Poulin and B.A. Mason, The high temperature behavior of the fractional quantum Hall effect 229 (1990) 7

Gallagher, B.L., see Galloway 229 (1990) 326
Galloway, T., B.L. Gallagher, P. Beton, J.P. Oxley, M. Carter, S.P. Beaumont, S. Thoms and C.D.W. Wilkinson, Universal thermopower and rectification fluctuations 229 (1990) 326
Gandit, P., see Pannetier 229 (1990) 331
Geerinckx, F., see Blom 229 (1990) 70
Gerard, J.M. and J.Y. Marzin, Optical study of probability densities in quantum well eigenstates 229 (1990) 433
Gerard, J.M., J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin, Optical study of the band structure of InAs/GaAs ordered alloys 229 (1990) 456
Gerhardts, R.R. and C. Zhang, Quantum magneto-transport theory for two-dimensional electron systems with unidirectional periodic modulation 229 (1990) 92
Gijsman, H.M., see Janssen 229 (1990) 365
Giuliani, G.F., see Yarlagadda 229 (1990) 410
Glattli, D.C., G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei, Experiments on ordering in classical and quantum 2D electron systems 229 (1990) 344
Glew, R.W., see Thorn 229 (1990) 439
Göbel, E.O., see Feldmann 229 (1990) 452
Goldberg, B.B., D. Heiman and A. Pinczuk, Exchange enhancement of the spin gap of a spin-polarized 2D electron gas determined by optical absorption spectroscopy 229 (1990) 137
Goldman, V.J. and M. Shayegan, Fractional quantum Hall states at $\nu = 7/11$ and 9/13 229 (1990) 10
Gornik, E., see Demmerle 229 (1990) 169
Gossard, A.C., see Chen 229 (1990) 484
Gozdz, A.S., see Kash 229 (1990) 245

Grambow, P., see Kohl 229 (1990) 248
Grambow, P., see Kern 229 (1990) 256
Greipel, K., see Schlierkamp 229 (1990) 476
Grodnensky, I.M. and A.Yu. Kamaev, Properties of edgemagnetoplasmons in a degenerate 2D electron gas 229 (1990) 522
Grötsch, K., see Heuring 229 (1990) 76
Guldner, Y., see Berroir 229 (1990) 501
Gunshor, R.L., see Fu 229 (1990) 148

Halperin, B.I., see Brey 229 (1990) 142
Han, J., see Fu 229 (1990) 148
Hansen, W., T.P. Smith III, D.P. DiVincenzo, K.Y. Lee, Y.H. Lee and R. Cheung, Quantum fluctuations in n^+ GaAs wires with invasive probes 229 (1990) 321
Harbison, J.P., see Kash 229 (1990) 245
Harbison, J.P., see Brozak 229 (1990) 493
Harmans, K.J.P.M., see Kouwenhoven 229 (1990) 290
Harris, J.J., see Clark 229 (1990) 25
Harris, J.J., see Ma 229 (1990) 80
Harris, J.J., C.T. Foxon, D. Hilton, J. Hewett, C. Roberts and S. Auzoux, Acoustic phonon scattering in ultra-high mobility, low carrier density GaAs/(Al,Ga)As heterojunctions 229 (1990) 113
Harris, J.J., see Wiggins 229 (1990) 488
Hasko, D.G., see Wharam 229 (1990) 233
Haug, R.J., K. von Klitzing, K. Ploog and P. Streda, Edge state transport in high magnetic fields in a two-dimensional electron gas 229 (1990) 229
Hayes, D.G., see Skolnick 229 (1990) 185
Hayes, D.G., M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash, Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field 229 (1990) 512
Haynes, S.R., see Clark 229 (1990) 25
He, S., see Das Sarma 229 (1990) 264
Heath, M., see Alikacem 229 (1990) 428
Hebling, J., see Feldmann 229 (1990) 452
Heiblum, M., A. Palevski, U. Sivan and C.P. Umbach, Hot electron transport in the plane 229 (1990) 155
Heiman, D., see Goldberg 229 (1990) 137
Heiman, D., see Pinczuk 229 (1990) 384
Heime, K., see Heuring 229 (1990) 76
Heitmann, D., see Kohl 229 (1990) 248
Heitmann, D., see Kern 229 (1990) 256
Heitmann, D., see Shikin 229 (1990) 276
Heitmann, D., see Egeler 229 (1990) 391
Helm, M., P. England, E. Colas, F. DeRosa and S.J. Allen, Jr., Intersubband emission excited by high field superlattice transport 229 (1990) 199
Hendriks, P., see Fontein 229 (1990) 47
Henini, M., see Skolnick 229 (1990) 185
Henry, J.E., see Oberli 229 (1990) 189
Heuring, W., E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp, J.-H. Reemtsma and K. Heime, Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures 229 (1990) 76
Hewett, J., see Harris 229 (1990) 113
Hewett, N.P., see Russell 229 (1990) 54
Hiergeist, P., see Bockelmann 229 (1990) 398
Higgs, A.W., see Skolnick 229 (1990) 185
Hilton, D., see Harris 229 (1990) 113
Hipólito, O., see Degani 229 (1990) 279
Hirai, H., see Komiyama 229 (1990) 224
Hirakawa, K., H. Sakaki and T. Ikoma, Electron–phonon interaction in GaAs/$Al_xGa_{1-x}As$/GaAs single-barrier heterojunction diodes 229 (1990) 161
Holtz, P.O., see Chen 229 (1990) 484
Homewood, K.P., see Lancefield 229 (1990) 122
Hong, J.M., see Ford 229 (1990) 298
Hong, J.M., see Ford 229 (1990) 307
Howard, R.E., see Timp 229 (1990) 219
Howell, D.F., T.J.B.M. Janssen, R.J. Nicholas, C.J.G.M. Langerak, J. Singleton and A. Chevy, 2D cyclotron resonance and magneto-polaron coupling to homopolar and LO phonons in the layered semiconductor InSe 229 (1990) 496
Hsu, C., see Awschalom 229 (1990) 145
Hughes, O.H., see Skolnick 229 (1990) 185
Hutchinson, H.J., see Skolnick 229 (1990) 185
Hwang, D.M., see Brozak 229 (1990) 493
Hwang, S.W., see Wei 229 (1990) 34

Ikoma, T., see Hirakawa 229 (1990) 161

Jalabert, R. and S. Das Sarma, Many-body effects in GaAs-based two-dimensional electron systems 229 (1990) 405
Janssen, A.M.L., R.W. van der Heijden, A.T.A.M. de Waele, H.M. Gijsman and F.M. Peeters, Negative low-field magnetoresistance of electrons on liquid helium 229 (1990) 365
Janssen, T.J.B.M., see Howell 229 (1990) 496
Jiang, H.-W. and A.J. Dahm, Conduction properties of a Wigner crystallization induced two-dimensional sliding charge-density wave 229 (1990) 352
Jo, J., see Shayegan 229 (1990) 83
Jones, G.A.C., see Wharam 229 (1990) 233
Jusserand, B., D.R. Richards, G. Fasol, G. Weimann and W. Schlapp, Single particle excitations and plasmons in a

single asymmetric modulation-doped GaAs quantum well 229 (1990) 394

Kamaev, A.Yu., see Grodnensky 229 (1990) 522
Karl, H., see Lega 229 (1990) 116
Karraï, K., X. Ying, H.D. Drew and M. Shayegan, Magnetoplasma effects in a quasi-three-dimensional electron gas 229 (1990) 515
Kash, K., J.M. Worlock, A.S. Gozdz, B.P. Van der Gaag, J.P. Harbison, P.S.D. Lin and L.T. Florez, Excitation spectroscopy of strain-patterned semiconductor wires 229 (1990) 245
Kawaji, S., see Wakabayashi 229 (1990) 60
Kern, K., T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi, One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires 229 (1990) 256
Killoran, J.H., see Syphers 229 (1990) 37
Klapwijk, T.M., see Van Son 229 (1990) 57
Klipstein, P.C., see Thorn 229 (1990) 439
Knap, W., see Stępniewski 229 (1990) 519
Knoedler, C.M., see Ford 229 (1990) 298
Knoedler, C.M., see Ford 229 (1990) 307
Knox, W.H., Femtosecond carrier dynamics in modulation-doped quantum wells 229 (1990) 371
Kobayashi, M., see Fu 229 (1990) 148
Koch, F., see Sizmann 229 (1990) 444
Kochereshko, V.P., see Uraltsev 229 (1990) 459
Kohl, M., D. Heitmann, P. Grambow and K. Ploog, Effect of the wire width on 1D magneto excitons in GaAs–AlGaAs quantum-well wires 229 (1990) 248
Köhler, K., see Nido 229 (1990) 195
Koike, Y., see Wakabayashi 229 (1990) 60
Komiyama, S., H. Hirai, S. Sasa and T. Fujii, Non-equilibrium population of edge states and a role of contacts in the quantum Hall regime 229 (1990) 224
Kop'ev, P.S., see Uraltsev 229 (1990) 459
Kopf, R.F., see Oberli 229 (1990) 189
Kotthaus, J.P., see Talyanskii 229 (1990) 40
Kotthaus, J.P., see Alsmeier 229 (1990) 287
Kotthaus, J.P., see Zettler 229 (1990) 388
Kouwenhoven, L.P., B.J. van Wees, K.J.P.M. Harmans and J.G. Williamson, Transport through zero-dimensional states in a quantum dot 229 (1990) 290
Kramer, B., J. Mašek, V. Špička and B. Velický, Coherent electronic transport properties of quasi-one-dimensional systems 229 (1990) 316
Kravchenko, S.V., B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky, On the phase diagrams of the magnetoconductivity for 2D electron systems 229 (1990) 63
Kriman, A.M., see Ma 229 (1990) 341
Kruithof, G.H., see Van Son 229 (1990) 57
Kuchar, F., see Lim 229 (1990) 50
Kuhl, J., see Feldmann 229 (1990) 452
Kukushkin, I.V., A.S. Plaut, K. von Klitzing and K. Ploog, Luminescence experiments on acceptor δ-doped GaAs–AlGaAs single heterojunctions with optically tunable electron concentration 229 (1990) 447
Kuo, J.M., see Oberli 229 (1990) 189

Lancefield, D., W. Batty, C.G. Crookes, E.P. O'Reilly, A.R. Adams, K.P. Homewood, G. Sundaram, R.J. Nicholas, M. Emeny and C.R. Whitehouse, Pressure dependence of light-hole transport in strained InGaAs/GaAs 229 (1990) 122
Landwehr, G., see Heuring 229 (1990) 76
Langerak, C.J.G.M., see Howell 229 (1990) 496
Laux, S.E., see Ford 229 (1990) 307
Lavielle, D., J.C. Portal, M.A. di Forte-Poisson, C. Brylinksi and E. Blondeau, Two-dimensional persistent photoconductivity and magnetic freeze-out in lightly "δ"-doped InP 229 (1990) 119
Lavigne, B., see Tuffigo 229 (1990) 480
Lea, M.J., see Stone 229 (1990) 359
Leadbeater, M.L., see Alikacem 229 (1990) 428
Lee, K.Y., see Hansen 229 (1990) 321
Lee, Y.H., see Hansen 229 (1990) 321
Lega, A., H. Karl, W. Dietsche, A. Fischer and K. Ploog, Phonon-drag effect in GaAs–AlGaAs heterostructures by monochromatic phonons 229 (1990) 116
Lehndorff, B., J. Löhle and K. Dransfeld, High frequency transport of electrons on helium films 229 (1990) 362
Lentz, G., see Tuffigo 229 (1990) 480
Li, Qiang, see Das Sarma 229 (1990) 264
Lim, K.Y., I. Auer, F. Kuchar, G. Weimann, W. Schlapp, A. Forchel and A. Menschig, The effect of lateral constriction and high measuring frequencies on the conductivity of the 2DEG in GaAs/AlGaAs 229 (1990) 50
Lin, P.S.D., see Kash 229 (1990) 245
Lindelof, P.E., see Taboryski 229 (1990) 105
Liu, H.W., see Ferreira 229 (1990) 192
Liu, W.-P., see Ma 229 (1990) 341
Löhle, J., see Lehndorff 229 (1990) 362
Lunn, B., see Alikacem 229 (1990) 428
Luo, J., H. Munekata, F.F. Fang and P.J. Stiles, The effects of inversion asym-

metry on subband structures in GaSb–InAs–GaSb quantum wells 229 (1990) 73

Ma, Jun, R.A. Puechner, W.-P. Liu, A.M. Kriman, G.N. Maracas and D.K. Ferry, *h/e* periodicity of weak localization in semiconductor surface superlattices 229 (1990) 341
Ma, Y., R. Fletcher, E. Zaremba, M. D'Iorio, C.T. Foxon and J.J. Harris, Effect of second subband occupancy on energy relaxation of electrons in a 2D gas at $Al_xGa_{1-x}As$/GaAs heterojunctions at low temperatures 229 (1990) 80
Maan, J.C., see Potemski 229 (1990) 151
Maan, J.C., see Potemski 229 (1990) 380
Maan, J.C., see Viña 229 (1990) 504
Maan, J.C., see Stępniewski 229 (1990) 519
Maaref, M., see Scalbert 229 (1990) 464
MacDonald, A.H., The fractional Hall effect in multi-component systems 229 (1990) 1
MacDonald, A.H., see Yang 229 (1990) 402
Magnea, N., see Tuffigo 229 (1990) 480
Mailly, D. and M. Sanquer, Reduction of the quantum noise in a GaAlAs/GaAs heterojunction and n^+ GaAs wires of mesoscopic size by a magnetic field 229 (1990) 260
Manasses, J., see Berroir 229 (1990) 501
Maniv, T. and I.D. Vagner, Nuclear spin-lattice relaxation in quasi 2D-systems: the role of impurity scattering 229 (1990) 134
Maracas, G.N., see Ma 229 (1990) 341
Mariette, H., see Tuffigo 229 (1990) 480
Martinez, G., see Stępniewski 229 (1990) 519
Marzin, J.Y., see Gerard 229 (1990) 433
Marzin, J.Y., see Gerard 229 (1990) 456
Mašek, J., see Kramer 229 (1990) 316
Mason, B.A., see Furneaux 229 (1990) 7
Maude, D.K., see Alikacem 229 (1990) 428
McEuen, P.L., B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312
Medvedev, B.K., see Kravchenko 229 (1990) 63
Mello, P.A., see Pichard 229 (1990) 101
Mellor, C.J. and W.F. Vinen, Experimental observation of crystallization and ripplon generation in a two-dimensional pool of helium ions 229 (1990) 368
Mendez, E.E. and L.L. Chang, Tunneling between two-dimensional electron gases 229 (1990) 173
Mendez, E.E., see Viña 229 (1990) 504
Menke, D., see Fu 229 (1990) 148
Menschig, A., see Lim 229 (1990) 50
Merkt, U., see Sikorski 229 (1990) 282
Merz, J.L., see Chen 229 (1990) 484
Miceli, P., see Brozak 229 (1990) 493
Mokerov, V.G., see Kravchenko 229 (1990) 63
Monemar, B., see Chen 229 (1990) 484
Munekata, H., see Luo 229 (1990) 73
Muralidharan, R., see Feldmann 229 (1990) 452

Nash, K.J., see Hayes 229 (1990) 512
Newbury, R., see Wharam 229 (1990) 233
Nicholas, R.J., see Lancefield 229 (1990) 122
Nicholas, R.J., see Wiggins 229 (1990) 488
Nicholas, R.J., see Howell 229 (1990) 496
Nickel, H., see Talyanskii 229 (1990) 40
Nido, M., M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler, Electron tunneling via Γ- and X-states in $GaAs/Al_{0.35}Ga_{0.65}As$ double quantum well structures 229 (1990) 195
Nunnenkamp, J., see Feldmann 229 (1990) 452
Nurmikko, A.V., see Fu 229 (1990) 148

Oberli, D.Y., Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry, Tunneling in double quantum well structures: role of optical phonons 229 (1990) 189
O'Reilly, E.P., see Lancefield 229 (1990) 122
Oshinowo, J., see Talyanskii 229 (1990) 40
Oswald, P.A.Wright.P.M.W., see Clark 229 (1990) 25
Ouali, F.F., see Russell 229 (1990) 54
Oxley, J.P., see Galloway 229 (1990) 326

Palevski, A., see Heiblum 229 (1990) 155
Palmier, J.F., see Ferreira 229 (1990) 192
Pannetier, B., O. Buisson, P. Gandit, Y.Y. Wang, J. Chaussy and R. Rammal, Unusual band effects in a 2D lattice: superconducting properties of artificial networks and singly connected dots 229 (1990) 331
Paris, E., see Glattli 229 (1990) 344
Peacock, D.C., see Wharam 229 (1990) 233
Peeters, F.M., see Blom 229 (1990) 70
Peeters, F.M., see Vasilopoulos 229 (1990) 96
Peeters, F.M. and P. Vasilopoulos, Electrical transport in a quantum wire 229 (1990) 271
Peeters, F.M., see Janssen 229 (1990) 365
Pelekanos, N., see Fu 229 (1990) 148
Pepper, M., see Wharam 229 (1990) 233
Peter, G., see Feldmann 229 (1990) 452
Peters, C., see Zettler 229 (1990) 388
Pfeiffer, L.N., see Eisenstein 229 (1990) 21
Pfeiffer, L.N., see Eisenstein 229 (1990) 31
Pfeiffer, L.N., see Pinczuk 229 (1990) 384
Pichard, J.L., P.A. Mello, A.D. Stone and N. Zanon, Maximum entropy approaches to quantum transport 229 (1990) 101
Pinczuk, A., see Goldberg 229 (1990) 137

Pinczuk, A., J.P. Valladares, D. Heiman, L.N. Pfeiffer and K.W. West, Light scattering determination of roton densities of states in two-dimensional Landau level excitations 229 (1990) 384
Pitt, A.D., see Skolnick 229 (1990) 185
Planel, R., see Scalbert 229 (1990) 464
Platero, G., P.A. Schulz and C. Tejedor, Coherent and sequential resonant magnetotunneling through double barrier structures 229 (1990) 177
Plaut, A.S., see Kukushkin 229 (1990) 447
Ploog, K., see Sigg 229 (1990) 43
Ploog, K., see Weiss 229 (1990) 88
Ploog, K., see Lega 229 (1990) 116
Ploog, K., see Potemski 229 (1990) 151
Ploog, K., see Nido 229 (1990) 195
Ploog, K., see Haug 229 (1990) 229
Ploog, K., see Kohl 229 (1990) 248
Ploog, K., see Wieck 229 (1990) 252
Ploog, K., see Kern 229 (1990) 256
Ploog, K., see Potemski 229 (1990) 380
Ploog, K., see Zettler 229 (1990) 388
Ploog, K., see Kukushkin 229 (1990) 447
Ploog, K., see Feldmann 229 (1990) 452
Ploog, K., see Stępniewski 229 (1990) 519
Portal, J.C., see Lavielle 229 (1990) 119
Portal, J.C., see Alikacem 229 (1990) 428
Potemski, M., J.C. Maan, A. Fasolino, K. Ploog and G. Weimann, Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells 229 (1990) 151
Potemski, M., J.C. Maan, K. Ploog and G. Weimann, High intensity excitation luminescence of quantum wells in high magnetic fields 229 (1990) 380
Potemski, M., see Viña 229 (1990) 504
Poulin, J., see Furneaux 229 (1990) 7
Pruisken, A.M.M., see Wei 229 (1990) 34
Pudalov, V.M., see Kravchenko 229 (1990) 63
Puechner, R.A., see Ma 229 (1990) 341

Rammal, R., see Pannetier 229 (1990) 331
Raymond, A., see Stępniewski 229 (1990) 519
Razeghi, M., see Kern 229 (1990) 256
Reemtsma, J.-H., see Heuring 229 (1990) 76
Reimann, K., see Nido 229 (1990) 195
Reis, F., see Syphers 229 (1990) 37
Richards, D.R., see Jusserand 229 (1990) 394
Richter, J., see Sigg 229 (1990) 43
Rinberg, D.A., see Kravchenko 229 (1990) 63
Ritchie, D.A., see Wharam 229 (1990) 233
Roberts, C., see Harris 229 (1990) 113
Rössler, U., see Schlierkamp 229 (1990) 476
Rühle, W.W., see Nido 229 (1990) 195
Russell, P.A., F.F. Ouali, N.P. Hewett and L.J. Challis, Power dissipation in the quantum Hall regime 229 (1990) 54

Sacks, R.N., see McEuen 229 (1990) 312
Saitoh, M., Melting criterion of two-dimensional Wigner crystals on thin films of liquid He 229 (1990) 356
Sajoto, T., see Shayegan 229 (1990) 83
Sakaki, H., see Hirakawa 229 (1990) 161
Sakaki, H., see Yoshimura 229 (1990) 508
Sanquer, M., see Mailly 229 (1990) 260
Santos, M., see Shayegan 229 (1990) 83
Sasa, S., see Komiyama 229 (1990) 224
Sattmann, R., see Feldmann 229 (1990) 452
Scalbert, D., J. Cernogora, C. Benoit à la Guillaume, M. Maaref, F.F. Charfi and R. Planel, Exciton radiative lifetime in short period GaAs–AlAs superlattices of type II 229 (1990) 464
Schlapp, W., see Talyanskii 229 (1990) 40
Schlapp, W., see Lim 229 (1990) 50
Schlapp, W., see Heuring 229 (1990) 76
Schlapp, W., see Demmerle 229 (1990) 169
Schlapp, W., see Egeler 229 (1990) 391
Schlapp, W., see Jusserand 229 (1990) 394
Schlapp, W., see Bockelmann 229 (1990) 398
Schlapp, W., see Schlierkamp 229 (1990) 476
Schlierkamp, M., R. Wille, K. Greipel, U. Rössler, W. Schlapp and G. Weimann, Confined excitons under biaxial compression and tension 229 (1990) 476
Schulz, P.A., see Platero 229 (1990) 177
Schwarz, S.A., see Brozak 229 (1990) 493
Semenchinsky, S.G., see Kravchenko 229 (1990) 63
Shah, Jagdeep, see Oberli 229 (1990) 189
Shayegan, M., see Goldman 229 (1990) 10
Shayegan, M., see Engel 229 (1990) 13
Shayegan, M., T. Sajoto, J. Jo, M. Santos and L. Engel, Magnetotransport in a wide parabolic quantum well 229 (1990) 83
Shayegan, M., see Karraï 229 (1990) 515
Shikin, V., T. Demel and D. Heitmann, Plasma and single particle excitations in quasi-one-dimensional electron systems 229 (1990) 276
Sigg, H., J. Richter, K. von Klitzing and K. Ploog, Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures 229 (1990) 43
Sikorski, Ch. and U. Merkt, Magneto-optics with few electrons in quantum dots on InSb 229 (1990) 282
Simmonds, P.E., see Skolnick 229 (1990) 185
Simmonds, P.E., see Hayes 229 (1990) 512
Singleton, J., see Howell 229 (1990) 496
Sivan, U., see Heiblum 229 (1990) 155

Sizmann, R., M. Zass and F. Koch, Resonant excitation in the interacting subband–valence band system of a narrow gap semiconductor 229 (1990) 444
Skolnick, M.S., A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes, Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy 229 (1990) 185
Skolnick, M.S., see Hayes 229 (1990) 512
Smith, G.W., see Skolnick 229 (1990) 185
Smith III, T.P., see Dabiran 229 (1990) 67
Smith III, T.P., Quantum confinement in few-electron systems 229 (1990) 239
Smith III, T.P., see Hansen 229 (1990) 321
Smoliner, J., see Demmerle 229 (1990) 169
Soucail, B., see Gerard 229 (1990) 456
Soucail, B., P. Voisin, M. Voos and M. Allovon, Optical investigations of semiconductor superlattices in parallel electric and magnetic fields 229 (1990) 468
Spendeler, L.I.A., see Williamson 229 (1990) 303
Špička, V., see Kramer 229 (1990) 316
Stępniewski, R., W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog, Exciton–one-component plasma interaction in high magnetic fields 229 (1990) 519
Stiles, P.J., see Syphers 229 (1990) 37
Stiles, P.J., see Dabiran 229 (1990) 67
Stiles, P.J., see Luo 229 (1990) 73
Stone, A.D., see Pichard 229 (1990) 101
Stone, A.D., see Baranger 229 (1990) 212
Stone, A.O., P. Fozooni, M.J. Lea and J. Frost, Magnetoresistance of 2D electrons on helium below 1 K 229 (1990) 359
Stormer, H.L., see Eisenstein 229 (1990) 21
Stormer, H.L., see Eisenstein 229 (1990) 31
Streda, P., see Haug 229 (1990) 229
Suckling, A.M., see Clark 229 (1990) 25
Sundaram, G., see Lancefield 229 (1990) 122
Sundaram, M., see Chen 229 (1990) 484
Sungki, O., see Fu 229 (1990) 148
Syphers, D.A., see Furneaux 229 (1990) 7
Syphers, D.A., J.H. Killoran, H.E. Brakewood, F. Reis and P.J. Stiles, Comparisons of edge state versus bulk conduction in the quantum Hall regime 229 (1990) 37

Taboryski, R., E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He–ion implantation 229 (1990) 105
Talyanskii, V.K., M. Wassermeier, A. Wixforth, J. Oshinowo, J.P. Kotthaus, I.E. Batov, G. Weimann, H. Nickel and W. Schlapp, Edge magnetoplasmons in the quantum Hall effect regime 229 (1990) 40
Taylor, L.L., see Hayes 229 (1990) 512
Tejedor, C., see Platero 229 (1990) 177
Thoms, S., see Galloway 229 (1990) 326
Thorn, A.P., P.C. Klipstein and R.W. Glew, Electro-optical properties of GaAs doping superlattices containing extreme electric fields 229 (1990) 439
Thornton, T.J., see Wharam 229 (1990) 233
Timp, G., R. Behringer, J.E. Cunningham and R.E. Howard, Fractional quantized Hall effect in a ballistic constriction in a two-dimensional electron gas 229 (1990) 219
Tsui, D.C., see Engel 229 (1990) 13
Tsui, D.C., see Wei 229 (1990) 34
Tuffigo, H., B. Lavigne, R.T. Cox, G. Lentz, N. Magnea and H. Mariette, Strong effects of electron–hole Coulomb interaction on optical properties of CdTe quantum wells 229 (1990) 480

Ulloa, S., see Zhang 229 (1990) 415
Umbach, C.P., see Heiblum 229 (1990) 155
Uraltsev, I.N., V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev, Optical phenomena elucidating carrier transport in short-period superlattices 229 (1990) 459

Vagner, I.D., see Maniv 229 (1990) 134
Valladares, J.P., see Pinczuk 229 (1990) 384
Van der Gaag, B.P., see Kash 229 (1990) 245
Van der Heijden, R.W., see Janssen 229 (1990) 365
Van Houten, H., see Williamson 229 (1990) 303
Van Son, P.C., G.H. Kruithof and T.M. Klapwijk, Intrinsic sequence in the breakdown of the quantum Hall effect 229 (1990) 57
Van Wees, B.J., see Kouwenhoven 229 (1990) 290
Van Wees, B.J., see Williamson 229 (1990) 303
Vasiliev, A.M., see Uraltsev 229 (1990) 459
Vasilopoulos, P. and F.M. Peeters, Magneto-resistance and Hall resistance in a 1D periodically modulated two-dimensional electron gas 229 (1990) 96
Vasilopoulos, P., see Peeters 229 (1990) 271
Veje, E., see Taboryski 229 (1990) 105
Velický, B., see Kramer 229 (1990) 316
Vieren, J.P., see Berroir 229 (1990) 501
Viña, L., G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang, Magnetic field effects in highly resolved two-dimensional excitons 229 (1990) 504

Vinen, W.F., see Mellor 229 (1990) 368
Vinter, B., see Chevoir 229 (1990) 158
Voisin, P., see Gerard 229 (1990) 456
Voisin, P., see Soucail 229 (1990) 468
Von Klitzing, K., see Sigg 229 (1990) 43
Von Klitzing, K., see Weiss 229 (1990) 88
Von Klitzing, K., see Böckenhoff 229 (1990) 182
Von Klitzing, K., see Haug 229 (1990) 229
Von Klitzing, K., see Kukushkin 229 (1990) 447
Voos, M., see Soucail 229 (1990) 468
Voos, M., see Berroir 229 (1990) 501

Wainer, J.J., see Ford 229 (1990) 307
Wakabayashi, J., A. Fukano, S. Kawaji, Y. Koike and T. Fukase, Experiments on localization in Landau subbands with the Landau quantum number 0 and 1 of Si inversion layers 229 (1990) 60
Wang, W.I., see Viña 229 (1990) 504
Wang, Y.Y., see Pannetier 229 (1990) 331
Washburn, S., see Ford 229 (1990) 298
Washburn, S., see Ford 229 (1990) 307
Wassermeier, M., see Talyanskii 229 (1990) 40
Wei, H.P., see Engel 229 (1990) 13
Wei, H.P., S.W. Hwang, D.C. Tsui and A.M.M. Pruisken, New results on scaling in the integral quantum Hall effect 229 (1990) 34
Weimann, G., see Talyanskii 229 (1990) 40
Weimann, G., see Lim 229 (1990) 50
Weimann, G., see Heuring 229 (1990) 76
Weimann, G., see Weiss 229 (1990) 88
Weimann, G., see Potemski 229 (1990) 151
Weimann, G., see Demmerle 229 (1990) 169
Weimann, G., see Potemski 229 (1990) 380
Weimann, G., see Egeler 229 (1990) 391
Weimann, G., see Jusserand 229 (1990) 394
Weimann, G., see Bockelmann 229 (1990) 398
Weimann, G., see Schlierkamp 229 (1990) 476
Weiss, D., K. von Klitzing, K. Ploog and G. Weimann, Landau level broadening and Van Hove singularities in lateral surface superlattices 229 (1990) 88
West, K.W., see Eisenstein 229 (1990) 21
West, K.W., see Eisenstein 229 (1990) 31
West, K.W., see Pinczuk 229 (1990) 384
Wharam, D.A., R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg, Ballistic electron transport in quasi-one-dimensional systems 229 (1990) 233
Wheeler, R.G., see McEuen 229 (1990) 312
Whitehouse, C.R., see Lancefield 229 (1990) 122
Whitehouse, C.R., see Skolnick 229 (1990) 185
Wieck, A.D. and K. Ploog, Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams 229 (1990) 252
Wiggins, G., R.J. Nicholas, J.J. Harris and C.T. Foxon, Bound state cyclotron resonance in modulation doped GaAs–$Al_xGa_{1-x}As$ quantum wells 229 (1990) 488
Wilkinson, C.D.W., see Galloway 229 (1990) 326
Wille, R., see Schlierkamp 229 (1990) 476
Willett, R.L., see Eisenstein 229 (1990) 31
Williams, F.I.B., see Glattli 229 (1990) 344
Williamson, J.G., see Kouwenhoven 229 (1990) 290
Williamson, J.G., H. van Houten, C.W.J. Beenakker, M.E.I. Broekaart, L.I.A. Spendeler, B.J. van Wees and C.T. Foxon, Injection of ballistic hot electrons and cool holes in a two-dimensional electron gas 229 (1990) 303
Wixforth, A., see Talyanskii 229 (1990) 40
Wolter, J.H., see Fontein 229 (1990) 47
Wolter, J.H., see Blom 229 (1990) 70
Worlock, J.M., see Kash 229 (1990) 245
Wu, X., see Blom 229 (1990) 70

Yakovlev, D.R., see Uraltsev 229 (1990) 459
Yang, S.-R.E. and A.H. MacDonald, Stress and the Van Hove singularities of hole magnetoplasmons 229 (1990) 402
Yarlagadda, S. and G.F. Giuliani, Many-body local fields and quasiparticle renormalization effects in two-dimensional electronic systems 229 (1990) 410
Ying, X., see Karraï 229 (1990) 515
Yoshimura, H. and H. Sakaki, Magnetoluminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well 229 (1990) 508

Zanon, N., see Pichard 229 (1990) 101
Zaremba, E., see Ma 229 (1990) 80
Zass, M., see Sizmann 229 (1990) 444
Zettler, T., C. Peters, J.P. Kotthaus and K. Ploog, Resonant Raman scattering of coupled magnetoplasmon-cyclotron modes in layered two-dimensional electron systems 229 (1990) 388
Zhang, C., see Gerhardts 229 (1990) 92
Zhang, J. and S. Ulloa, Single-particle and collective excitations of doped superlattices and *d*-parameter theory 229 (1990) 415
Zhao, Q.X., see Chen 229 (1990) 484

Surface Science 229 (1990) 535–552
North-Holland

SUBJECT INDEX

Aluminium

L. Engel, H.P. Wei, D.C. Tsui and M. Shayegan, Critical exponent in the fractional quantum Hall effect 229 (1990) 13
J.P. Eisenstein, H.L. Stormer, L.N. Pfeiffer and K.W. West, Spin-dependent properties of the fractional quantum Hall effect at odd denominators 229 (1990) 21
J.P. Eisenstein, R.L. Willett, H.L. Stormer, L.N. Pfeiffer and K.W. West, Activation energies for the even-dominator fractional quantum Hall effect 229 (1990) 31
V.K. Talyanskii, M. Wassermeier, A. Wixforth, J. Oshinowo, J.P. Kotthaus, I.E. Batov, G. Weimann, H. Nickel and W. Schlapp, Edge magnetoplasmons in the quantum Hall effect regime 229 (1990) 40
H. Sigg, J. Richter, K. von Klitzing and K. Ploog, Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures 229 (1990) 43
P.F. Fontein, P. Hendriks and J.H. Wolter, Contactless measurement of the spatial potential distribution in the quantum Hall effect 229 (1990) 47
K.Y. Lim, I. Auer, F. Kuchar, G. Weimann, W. Schlapp, A. Forchel and A. Menschig, The effect of lateral constriction and high measuring frequencies on the conductivity of the 2DEG in GaAs/AlGaAs 229 (1990) 50
F.A.P. Blom, P.F. Fontein, J.H. Wolter, F.M. Peeters, X. Wu, F. Geerinckx and J.T. Devreese, Temperature dependence of the amplitude of the Shubnikov–de Haas oscillations in a two-dimensional electron gas 229 (1990) 70
W. Heuring, E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp, J.-H. Reemtsma and K. Heime, Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures 229 (1990) 76
Y. Ma, R. Fletcher, E. Zaremba, M. D'Iorio, C.T. Foxon and J.J. Harris, Effect of second subband occupancy on energy relaxation of electrons in a 2D gas at $Al_xGa_{1-x}As$/GaAs heterojunctions at low temperatures 229 (1990) 80
M. Shayegan, T. Sajoto, J. Jo, M. Santos and L. Engel, Magnetotransport in a wide parabolic quantum well 229 (1990) 83
D. Weiss, K. von Klitzing, K. Ploog and G. Weimann, Landau level broadening and Van Hove singularities in lateral surface superlattices 229 (1990) 88
R. Taboryski, E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation 229 (1990) 105
J.J. Harris, C.T. Foxon, D. Hilton, J. Hewett, C. Roberts and S. Auzoux, Acoustic phonon scattering in ultra-high mobility, low carrier density GaAs/(Al,Ga)As heterojunctions 229 (1990) 113
B.B. Goldberg, D. Heiman and A. Pinczuk, Exchange enhancement of the spin gap of a spin-polarized 2D electron gas determined by optical absorption spectroscopy 229 (1990) 137
M. Potemski, J.C. Maan, A. Fasolino, K. Ploog and G. Weimann, Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells 229 (1990) 151
K. Hirakawa, H. Sakaki and T. Ikoma, Electron–phonon interaction in GaAs/ $Al_xGa_{1-x}As$/GaAs single-barrier heterojunction diodes 229 (1990) 161
E.E. Mendez and L.L. Chang, Tunneling between two-dimensional electron gases 229 (1990) 173
E. Böckenhoff and K. von Klitzing, Spectroscopy of the Fermi energy in quantizing magnetic fields via resonant tunneling 229 (1990) 182
M.S. Skolnick, A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes, Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy 229 (1990) 185
D.Y. Oberli, Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry,

Elsevier Science Publishers B.V. (North-Holland)

Tunneling in double quantum well structures: role of optical phonons 229 (1990) 189
R. Ferreira, H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne, Electron, hole and exciton tunneling in a biased quantum well structure 229 (1990) 192
M. Nido, M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler, Electron tunneling via Γ- and X-states in $GaAs/Al_{0.35}Ga_{0.65}As$ double quantum well structures 229 (1990) 195
A.M. Chang and T.Y. Chang, Quenching of the Hall effect in a novel geometry 229 (1990) 209
A.M. Chang and J.E. Cunningham, Transmission and reflection probabilities between the $\nu = 1$ and the $\nu = \frac{2}{3}$ quantum Hall effects 229 (1990) 216
G. Timp, R. Behringer, J.E. Cunningham and R.E. Howard, Fractional quantized Hall effect in a ballistic constriction in a two-dimensional electron gas 229 (1990) 219
R.J. Haug, K. von Klitzing, K. Ploog and P. Streda, Edge state transport in high magnetic fields in a two-dimensional electron gas 229 (1990) 229
D.A. Wharam, R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg, Ballistic electron transport in quasi-one-dimensional systems 229 (1990) 233
K. Kash, J.M. Worlock, A.S. Gozdz, B.P. Van der Gaag, J.P. Harbison, P.S.D. Lin and L.T. Florez, Excitation spectroscopy of strain-patterned semiconductor wires 229 (1990) 245
M. Kohl, D. Heitmann, P. Grambow and K. Ploog, Effect of the wire width on 1D magneto excitons in GaAs–AlGaAs quantum-well wires 229 (1990) 248
A.D. Wieck and K. Ploog, Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams 229 (1990) 252
M.H. Degani and O. Hipólito, Electron–polar optical phonon scattering rates in multisubband quantum wire structures 229 (1990) 279
J.G. Williamson, H. van Houten, C.W.J. Beenakker, M.E.I. Broekaart, L.I.A. Spendeler, B.J. van Wees and C.T. Foxon, Injection of ballistic hot electrons and cool holes in a two-dimensional electron gas 229 (1990) 303
P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312
D.C. Glattli, G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei, Experiments on ordering in classical and quantum 2D electron systems 229 (1990) 344
A. Pinczuk, J.P. Valladares, D. Heiman, L.N. Pfeiffer and K.W. West, Light scattering determination of roton densities of states in two-dimensional Landau level excitations 229 (1990) 384
T. Zettler, C. Peters, J.P. Kotthaus and K. Ploog, Resonant Raman scattering of coupled magnetoplasmon–cyclotron modes in layered two-dimensional electron systems 229 (1990) 388
U. Bockelmann, P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp, Relevant scattering processes, band gap renormalization and Moss–Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells 229 (1990) 398
S.-R.E. Yang and A.H. MacDonald, Stress and the Van Hove singularities of hole magnetoplasmons 229 (1990) 402
J.M. Gerard and J.Y. Marzin, Optical study of probability densities in quantum well eigenstates 229 (1990) 433
I.V. Kukushkin, A.S. Plaut, K. von Klitzing and K. Ploog, Luminescence experiments on acceptor δ-doped GaAs–AlGaAs single heterojunctions with optically tunable electron concentration 229 (1990) 447
J. Feldmann, R. Sattmann, G. Peter, E.O. Göbel, J. Nunnenkamp, J. Kuhl, J. Hebling, K. Ploog, R. Cingolani, R. Muralidharan, P. Dawson and C.T. Foxon, Determination of Γ–X transfer rates in type II (Al)GaAs/AlAs superlattices 229 (1990) 452
I.N. Uraltsev, V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev, Optical phenomena elucidating carrier transport in short-period superlattices 229 (1990) 459
D. Scalbert, J. Cernogora, C. Benoit à la Guillaume, M. Maaref, F.F. Charfi and R. Planel, Exciton radiative lifetime in short period GaAs–AlAs superlattices of type II 229 (1990) 464
J.A. Brum and F. Agulló-Rueda, Stark ladder excitonic transitions 229 (1990) 472
M. Schlierkamp, R. Wille, K. Greipel, U. Rössler, W. Schlapp and G. Weimann, Confined excitons under biaxial compression and tension 229 (1990) 476

W.M. Chen, B. Monemar, Q.X. Zhao, P.O. Holtz, M. Sundaram, J.L. Merz and A.C. Gossard, Characterization of GaAs/AlGaAs heterojunctions by optical detection of cyclotron resonance 229 (1990) 484
G. Wiggins, R.J. Nicholas, J.J. Harris and C.T. Foxon, Bound state cyclotron resonance in modulation doped GaAs–$Al_xGa_{1-x}As$ quantum wells 229 (1990) 488
G. Brozak, F. DeRosa, D.M. Hwang, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez and S.J. Allen, Jr., Measurement of the effective mass along the growth direction of a thin-barrier GaAs–AlAs superlattice 229 (1990) 493
L. Viña, G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang, Magnetic field effects in highly resolved two-dimensional excitons 229 (1990) 504
H. Yoshimura and H. Sakaki, Magnetoluminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well 229 (1990) 508
R. Stępniewski, W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog, Exciton–one-component plasma interaction in high magnetic fields 229 (1990) 519
I.M. Grodnensky and A.Yu. Kamaev, Properties of edge magnetoplasmons in a degenerate 2D electron gas 229 (1990) 522

Band structure

U. Ekenberg, Wave function engineering in asymmetric modulation-doped quantum wells 229 (1990) 419
J.M. Gerard, J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin, Optical study of the band structure of InAs/GaAs ordered alloys 229 (1990) 456
J.M. Berroir, Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie, Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices 229 (1990) 501

Cadmium telluride

D.D. Awschalom, M.R. Freeman, C. Hsu and L.L. Chang, Ultrafast spin dynamics in diluted magnetic semiconductor superlattices 229 (1990) 145
Q. Fu, N. Pelekanos, A.V. Nurmikko, S. Durbin, J. Han, O. Sungki, D. Menke, M. Kobayashi and R.L. Gunshor, Strong confinement effects in CdTe/MnTe quantum wells: a new strained layer binary II–VI heterostructure 229 (1990) 148
M. Alikacem, M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M. Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn, High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface 229 (1990) 428
R. Sizmann, M. Zass and F. Koch, Resonant excitation in the interacting subband–valence band system of a narrow gap semiconductor 229 (1990) 444
H. Tuffigo, B. Lavigne, R.T. Cox, G. Lentz, N. Magnea and H. Mariette, Strong effects of electron–hole Coulomb interaction on optical properties of CdTe quantum wells 229 (1990) 480
J.M. Berroir, Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie, Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices 229 (1990) 501

Chalcogens

H. Tuffigo, B. Lavigne, R.T. Cox, G. Lentz, N. Magnea and H. Mariette, Strong effects of electron–hole Coulomb interaction on optical properties of CdTe quantum wells 229 (1990) 480
D.F. Howell, T.J.B.M. Janssen, R.J. Nicholas, C.J.G.M. Langerak, J. Singleton and A. Chevy, 2D cyclotron resonance and magneto-polaron coupling to homopolar and LO phonons in the layered semiconductor InSe 229 (1990) 496
J.M. Berroir, Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie, Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices 229 (1990) 501

Conductivity

H. Sigg, J. Richter, K. von Klitzing and K. Ploog, Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures 229 (1990) 43
K.Y. Lim, I. Auer, F. Kuchar, G. Weimann, W. Schlapp, A. Forchel and A. Menschig, The effect of lateral con-

striction and high measuring frequencies on the conductivity of the 2DEG in GaAs/AlGaAs 229 (1990) 50

S.V. Kravchenko, B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky, On the phase diagrams of the magnetoconductivity for 2D electron systems 229 (1990) 63

J. Luo, H. Munekata, F.F. Fang and P.J. Stiles, The effects of inversion asymmetry on subband structures in GaSb–InAs–GaSb quantum wells 229 (1990) 73

W. Heuring, E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp, J.-H. Reemtsma and K. Heime, Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures 229 (1990) 76

M. Shayegan, T. Sajoto, J. Jo, M. Santos and L. Engel, Magnetotransport in a wide parabolic quantum well 229 (1990) 83

D. Weiss, K. von Klitzing, K. Ploog and G. Weimann, Landau level broadening and Van Hove singularities in lateral surface superlattices 229 (1990) 88

R.R. Gerhardts and C. Zhang, Quantum magneto-transport theory for two-dimensional electron systems with unidirectional periodic modulation 229 (1990) 92

J.L. Pichard, P.A. Mello, A.D. Stone and N. Zanon, Maximum entropy approaches to quantum transport 229 (1990) 101

R. Taboryski, E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation 229 (1990) 105

D. Calecki and G. Fishman, Surface-limited resistivity in 2D-semiconductors and 2D-metals: influence of roughness modeling 229 (1990) 110

M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126

M. Heiblum, A. Palevski, U. Sivan and C.P. Umbach, Hot electron transport in the plane 229 (1990) 155

E.E. Mendez and L.L. Chang, Tunneling between two-dimensional electron gases 229 (1990) 173

R.J. Haug, K. von Klitzing, K. Ploog and P. Streda, Edge state transport in high magnetic fields in a two-dimensional electron gas 229 (1990) 229

D.A. Wharam, R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg, Ballistic electron transport in quasi-one-dimensional systems 229 (1990) 233

A.D. Wieck and K. Ploog, Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams 229 (1990) 252

S. Das Sarma, S. He and Qiang Li, Optical and transport properties of one-dimensional quantum wire structures 229 (1990) 264

F.M. Peeters and P. Vasilopoulos, Electrical transport in a quantum wire 229 (1990) 271

L.P. Kouwenhoven, B.J. van Wees, K.J.P.M. Harmans and J.G. Williamson, Transport through zero-dimensional states in a quantum dot 229 (1990) 290

C.J.B. Ford, A.B. Fowler, J.M. Hong, C.M. Knoedler, S.E. Laux, J.J. Wainer and S. Washburn, Gated, asymmetric rings as tunable electron interferometers 229 (1990) 307

P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312

B. Kramer, J. Mašek, V. Špička and B. Velický, Coherent electronic transport properties of quasi-one-dimensional systems 229 (1990) 316

W. Hansen, T.P. Smith III, D.P. DiVincenzo, K.Y. Lee, Y.H. Lee and R. Cheung, Quantum fluctuations in n^+ GaAs wires with invasive probes 229 (1990) 321

Jun Ma, R.A. Puechner, W.-P. Liu, A.M. Kriman, G.N. Maracas and D.K. Ferry, h/e periodicity of weak localization in semiconductor surface superlattices 229 (1990) 341

H.-W. Jiang and A.J. Dahm, Conduction properties of a Wigner crystallization induced two-dimensional sliding charge-density wave 229 (1990) 352

A.O. Stone, P. Fozooni, M.J. Lea and J. Frost, Magnetoresistance of 2D electrons on helium below 1 K 229 (1990) 359

A.M.L. Janssen, R.W. van der Heijden, A.T.A.M. de Waele, H.M. Gijsman and F.M. Peeters, Negative low-field magnetoresistance of electrons on liquid helium 229 (1990) 365

M. Alikacem, M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M. Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn, High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface 229 (1990) 428

Cyclotron resonance studies

P. Vasilopoulos and F.M. Peeters, Magneto-resistance and Hall resistance in a 1D periodically modulated two-dimensional electron gas 229 (1990) 96

D. Lancefield, W. Batty, C.G. Crookes, E.P. O'Reilly, A.R. Adams, K.P. Homewood, G. Sundaram, R.J. Nicholas, M. Emeny and C.R. Whitehouse, Pressure dependence of light-hole transport in strained InGaAs/GaAs 229 (1990) 122

T. Zettler, C. Peters, J.P. Kotthaus and K. Ploog, Resonant Raman scattering of coupled magnetoplasmon–cyclotron modes in layered two-dimensional electron systems 229 (1990) 388

W.M. Chen, B. Monemar, Q.X. Zhao, P.O. Holtz, M. Sundaram, J.L. Merz and A.C. Gossard, Characterization of GaAs/AlGaAs heterojunctions by optical detection of cyclotron resonance 229 (1990) 484

G. Wiggins, R.J. Nicholas, J.J. Harris and C.T. Foxon, Bound state cyclotron resonance in modulation doped GaAs–$Al_xGa_{1-x}As$ quantum wells 229 (1990) 488

G. Brozak, F. DeRosa, D.M. Hwang, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez and S.J. Allen, Jr., Measurement of the effective mass along the growth direction of a thin-barrier GaAs–AlAs superlattice 229 (1990) 493

D.F. Howell, T.J.B.M. Janssen, R.J. Nicholas, C.J.G.M. Langerak, J. Singleton and A. Chevy, 2D cyclotron resonance and magneto-polaron coupling to homopolar and LO phonons in the layered semiconductor InSe 229 (1990) 496

Dielectric constant

G.E.W. Bauer, Correlation effects on the optical properties of confined plasmas 229 (1990) 374

Electron spin resonance

M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126

Gallium antimonide

J. Luo, H. Munekata, F.F. Fang and P.J. Stiles, The effects of inversion asymmetry on subband structures in GaSb–InAs–GaSb quantum wells 229 (1990) 73

Gallium arsenide

L. Engel, H.P. Wei, D.C. Tsui and M. Shayegan, Critical exponent in the fractional quantum Hall effect 229 (1990) 13

J.P. Eisenstein, H.L. Stormer, L.N. Pfeiffer and K.W. West, Spin-dependent properties of the fractional quantum Hall effect at odd denominators 229 (1990) 21

J.P. Eisenstein, R.L. Willett, H.L. Stormer, L.N. Pfeiffer and K.W. West, Activation energies for the even-dominator fractional quantum Hall effect 229 (1990) 31

H.P. Wei, S.W. Hwang, D.C. Tsui and A.M.M. Pruisken, New results on scaling in the integral quantum Hall effect 229 (1990) 34

D.A. Syphers, J.H. Killoran, H.E. Brakewood, F. Reis and P.J. Stiles, Comparisons of edge state versus bulk conduction in the quantum Hall regime 229 (1990) 37

V.K. Talyanskii, M. Wassermeier, A. Wixforth, J. Oshinowo, J.P. Kotthaus, I.E. Batov, G. Weimann, H. Nickel and W. Schlapp, Edge magnetoplasmons in the quantum Hall effect regime 229 (1990) 40

H. Sigg, J. Richter, K. von Klitzing and K. Ploog, Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures 229 (1990) 43

P.F. Fontein, P. Hendriks and J.H. Wolter, Contactless measurement of the spatial potential distribution in the quantum Hall effect 229 (1990) 47

K.Y. Lim, I. Auer, F. Kuchar, G. Weimann, W. Schlapp, A. Forchel and A. Menschig, The effect of lateral constriction and high measuring frequencies on the conductivity of the 2DEG in GaAs/AlGaAs 229 (1990) 50

S.V. Kravchenko, B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky, On the phase diagrams of the magnetoconductivity for 2D electron systems 229 (1990) 63

F.A.P. Blom, P.F. Fontein, J.H. Wolter, F.M. Peeters, X. Wu, F. Geerinckx and J.T. Devreese, Temperature dependence of the amplitude of the Shubnikov–de Haas oscillations in a two-dimensional electron gas 229 (1990) 70

W. Heuring, E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp,

J.-H. Reemtsma and K. Heime, Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures 229 (1990) 76
Y. Ma, R. Fletcher, E. Zaremba, M. D'Iorio, C.T. Foxon and J.J. Harris, Effect of second subband occupancy on energy relaxation of electrons in a 2D gas at $Al_xGa_{1-x}As/GaAs$ heterojunctions at low temperatures 229 (1990) 80
M. Shayegan, T. Sajoto, J. Jo, M. Santos and L. Engel, Magnetotransport in a wide parabolic quantum well 229 (1990) 83
D. Weiss, K. von Klitzing, K. Ploog and G. Weimann, Landau level broadening and Van Hove singularities in lateral surface superlattices 229 (1990) 88
R. Taboryski, E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation 229 (1990) 105
J.J. Harris, C.T. Foxon, D. Hilton, J. Hewett, C. Roberts and S. Auzoux, Acoustic phonon scattering in ultrahigh mobility, low carrier density GaAs/(Al,Ga)As heterojunctions 229 (1990) 113
A. Lega, H. Karl, W. Dietsche, A. Fischer and K. Ploog, Phonon-drag effect in GaAs–AlGaAs heterostructures by monochromatic phonons 229 (1990) 116
D. Lancefield, W. Batty, C.G. Crookes, E.P. O'Reilly, A.R. Adams, K.P. Homewood, G. Sundaram, R.J. Nicholas, M. Emeny and C.R. Whitehouse, Pressure dependence of light-hole transport in strained InGaAs/GaAs 229 (1990) 122
M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126
B.B. Goldberg, D. Heiman and A. Pinczuk, Exchange enhancement of the spin gap of a spin-polarized 2D electron gas determined by optical absorption spectroscopy 229 (1990) 137
M. Potemski, J.C. Maan, A. Fasolino, K. Ploog and G. Weimann, Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells 229 (1990) 151
K. Hirakawa, H. Sakaki and T. Ikoma, Electron–phonon interaction in GaAs/ $Al_xGa_{1-x}As$/GaAs single-barrier heterojunction diodes 229 (1990) 161
E.E. Mendez and L.L. Chang, Tunneling between two-dimensional electron gases 229 (1990) 173
E. Böckenhoff and K. von Klitzing, Spectroscopy of the Fermi energy in quantizing magnetic fields via resonant tunneling 229 (1990) 182
M.S. Skolnick, A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes, Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy 229 (1990) 185
D.Y. Oberli, Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry, Tunneling in double quantum well structures: role of optical phonons 229 (1990) 189
R. Ferreira, H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne, Electron, hole and exciton tunneling in a biased quantum well structure 229 (1990) 192
M. Nido, M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler, Electron tunneling via Γ- and X-states in $GaAs/Al_{0.35}Ga_{0.65}As$ double quantum well structures 229 (1990) 195
A.M. Chang and T.Y. Chang, Quenching of the Hall effect in a novel geometry 229 (1990) 209
A.M. Chang and J.E. Cunningham, Transmission and reflection probabilities between the $\nu = 1$ and the $\nu = \frac{2}{3}$ quantum Hall effects 229 (1990) 216
G. Timp, R. Behringer, J.E. Cunningham and R.E. Howard, Fractional quantized Hall effect in a ballistic constriction in a two-dimensional electron gas 229 (1990) 219
S. Komiyama, H. Hirai, S. Sasa and T. Fujii, Non-equilibrium population of edge states and a role of contacts in the quantum Hall regime 229 (1990) 224
R.J. Haug, K. von Klitzing, K. Ploog and P. Streda, Edge state transport in high magnetic fields in a two-dimensional electron gas 229 (1990) 229
D.A. Wharam, R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg, Ballistic electron transport in quasi-one-dimensional systems 229 (1990) 233
K. Kash, J.M. Worlock, A.S. Gozdz, B.P. Van der Gaag, J.P. Harbison, P.S.D. Lin and L.T. Florez, Excitation spectroscopy of strain-patterned semiconductor wires 229 (1990) 245
M. Kohl, D. Heitmann, P. Grambow and K. Ploog, Effect of the wire width on

1D magneto excitons in GaAs–AlGaAs quantum-well wires 229 (1990) 248
A.D. Wieck and K. Ploog, Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams 229 (1990) 252
K. Kern, T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi, One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires 229 (1990) 256
D. Mailly and M. Sanquer, Reduction of the quantum noise in a GaAlAs/GaAs heterojunction and n^+ GaAs wires of mesoscopic size by a magnetic field 229 (1990) 260
M.H. Degani and O. Hipólito, Electron–polar optical phonon scattering rates in multisubband quantum wire structures 229 (1990) 279
L.P. Kouwenhoven, B.J. van Wees, K.J.P.M. Harmans and J.G. Williamson, Transport through zero-dimensional states in a quantum dot 229 (1990) 290
J.G. Williamson, H. van Houten, C.W.J. Beenakker, M.E.I. Broekaart, L.I.A. Spendeler, B.J. van Wees and C.T. Foxon, Injection of ballistic hot electrons and cool holes in a two-dimensional electron gas 229 (1990) 303
P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312
W. Hansen, T.P. Smith III, D.P. DiVincenzo, K.Y. Lee, Y.H. Lee and R. Cheung, Quantum fluctuations in n^+ GaAs wires with invasive probes 229 (1990) 321
T. Galloway, B.L. Gallagher, P. Beton, J.P. Oxley, M. Carter, S.P. Beaumont, S. Thoms and C.D.W. Wilkinson, Universal thermopower and rectification fluctuations 229 (1990) 326
Jun Ma, R.A. Puechner, W.-P. Liu, A.M. Kriman, G.N. Maracas and D.K. Ferry, *h/e* periodicity of weak localization in semiconductor surface superlattices 229 (1990) 341
D.C. Glattli, G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei, Experiments on ordering in classical and quantum 2D electron systems 229 (1990) 344
M. Potemski, J.C. Maan, K. Ploog and G. Weimann, High intensity excitation luminescence of quantum wells in high magnetic fields 229 (1990) 380
A. Pinczuk, J.P. Valladares, D. Heiman, L.N. Pfeiffer and K.W. West, Light scattering determination of roton densities of states in two-dimensional Landau level excitations 229 (1990) 384
T. Zettler, C. Peters, J.P. Kotthaus and K. Ploog, Resonant Raman scattering of coupled magnetoplasmon–cyclotron modes in layered two-dimensional electron systems 229 (1990) 388
T. Egeler, G. Abstreiter, G. Weimann, T. Demel, D. Heitmann and W. Schlapp, Grating coupler effects on inelastic light scattering by plasmons in micro structured GaAs MQW systems 229 (1990) 391
B. Jusserand, D.R. Richards, G. Fasol, G. Weimann and W. Schlapp, Single particle excitations and plasmons in a single asymmetric modulation-doped GaAs quantum well 229 (1990) 394
U. Bockelmann, P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp, Relevant scattering processes, band gap renormalization and Moss–Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells 229 (1990) 398
S.-R.E. Yang and A.H. MacDonald, Stress and the Van Hove singularities of hole magnetoplasmons 229 (1990) 402
R. Jalabert and S. Das Sarma, Many-body effects in GaAs-based two-dimensional electron systems 229 (1990) 405
J.M. Gerard and J.Y. Marzin, Optical study of probability densities in quantum well eigenstates 229 (1990) 433
A.P. Thorn, P.C. Klipstein and R.W. Glew, Electro-optical properties of GaAs doping superlattices containing extreme electric fields 229 (1990) 439
I.V. Kukushkin, A.S. Plaut, K. von Klitzing and K. Ploog, Luminescence experiments on acceptor δ-doped GaAs–AlGaAs single heterojunctions with optically tunable electron concentration 229 (1990) 447
J. Feldmann, R. Sattmann, G. Peter, E.O. Göbel, J. Nunnenkamp, J. Kuhl, J. Hebling, K. Ploog, R. Cingolani, R. Muralidharan, P. Dawson and C.T. Foxon, Determination of Γ–X transfer rates in type II (Al)GaAs/AlAs superlattices 229 (1990) 452
J.M. Gerard, J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin, Optical study of the band structure of InAs/GaAs ordered alloys 229 (1990) 456
I.N. Uraltsev, V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev, Optical phenomena eluci-

dating carrier transport in short-period superlattices 229 (1990) 459
D. Scalbert, J. Cernogora, C. Benoit à la Guillaume, M. Maaref, F.F. Charfi and R. Planel, Exciton radiative lifetime in short period GaAs–AlAs superlattices of type II 229 (1990) 464
B. Soucail, P. Voisin, M. Voos and M. Allovon, Optical investigations of semiconductor superlattices in parallel electric and magnetic fields 229 (1990) 468
J.A. Brum and F. Agulló-Rueda, Stark ladder excitonic transitions 229 (1990) 472
M. Schlierkamp, R. Wille, K. Greipel, U. Rössler, W. Schlapp and G. Weimann, Confined excitons under biaxial compression and tension 229 (1990) 476
W.M. Chen, B. Monemar, Q.X. Zhao, P.O. Holtz, M. Sundaram, J.L. Merz and A.C. Gossard, Characterization of GaAs/AlGaAs heterojunctions by optical detection of cyclotron resonance 229 (1990) 484
G. Wiggins, R.J. Nicholas, J.J. Harris and C.T. Foxon, Bound state cyclotron resonance in modulation doped GaAs–$Al_xGa_{1-x}As$ quantum wells 229 (1990) 488
G. Brozak, F. DeRosa, D.M. Hwang, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez and S.J. Allen, Jr., Measurement of the effective mass along the growth direction of a thin-barrier GaAs–AlAs superlattice 229 (1990) 493
L. Viña, G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang, Magnetic field effects in highly resolved two-dimensional excitons 229 (1990) 504
H. Yoshimura and H. Sakaki, Magnetoluminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well 229 (1990) 508
D.G. Hayes, M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash, Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field 229 (1990) 512
R. Stępniewski, W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog, Exciton–one-component plasma interaction in high magnetic fields 229 (1990) 519
I.M. Grodnensky and A.Yu. Kamaev, Properties of edge magnetoplasmons in a degenerate 2D electron gas 229 (1990) 522

Gallium phosphide

M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126

Hall effect

A.H. MacDonald, The fractional Hall effect in multi-component systems 229 (1990) 1
J.E. Furneaux, D.A. Syphers, J. Poulin and B.A. Mason, The high temperature behavior of the fractional quantum Hall effect 229 (1990) 7
V.J. Goldman and M. Shayegan, Fractional quantum Hall states at $\nu = 7/11$ and 9/13 229 (1990) 10
L. Engel, H.P. Wei, D.C. Tsui and M. Shayegan, Critical exponent in the fractional quantum Hall effect 229 (1990) 13
T. Chakraborty, Spin-reversed ground state and energy gap in the fractional quantum Hall effect 229 (1990) 16
J.P. Eisenstein, H.L. Stormer, L.N. Pfeiffer and K.W. West, Spin-dependent properties of the fractional quantum Hall effect at odd denominators 229 (1990) 21
R.G. Clark, S.R. Haynes, J.V. Branch, A.M. Suckling, P.A. Wright, P.M.W. Oswald, J.J. Harris and C.T. Foxon, Spin configurations and quasiparticle fractional charge of fractional QHE ground states in the $N = 0$ Landau level 229 (1990) 25
J.P. Eisenstein, R.L. Willett, H.L. Stormer, L.N. Pfeiffer and K.W. West, Activation energies for the even-dominator fractional quantum Hall effect 229 (1990) 31
H.P. Wei, S.W. Hwang, D.C. Tsui and A.M.M. Pruisken, New results on scaling in the integral quantum Hall effect 229 (1990) 34
D.A. Syphers, J.H. Killoran, H.E. Brakewood, F. Reis and P.J. Stiles, Comparisons of edge state versus bulk conduction in the quantum Hall regime 229 (1990) 37
V.K. Talyanskii, M. Wassermeier, A. Wixforth, J. Oshinowo, J.P. Kotthaus, I.E. Batov, G. Weimann, H. Nickel and W. Schlapp, Edge magnetoplasmons in the quantum Hall effect regime 229 (1990) 40
P.F. Fontein, P. Hendriks and J.H. Wolter, Contactless measurement of the spatial potential distribution in the quantum Hall effect 229 (1990) 47

K.Y. Lim, I. Auer, F. Kuchar, G. Weimann, W. Schlapp, A. Forchel and A. Menschig, The effect of lateral constriction and high measuring frequencies on the conductivity of the 2DEG in GaAs/AlGaAs 229 (1990) 50
P.A. Russell, F.F. Ouali, N.P. Hewett and L.J. Challis, Power dissipation in the quantum Hall regime 229 (1990) 54
P.C. van Son, G.H. Kruithof and T.M. Klapwijk, Intrinsic sequence in the breakdown of the quantum Hall effect 229 (1990) 57
J. Wakabayashi, A. Fukano, S. Kawaji, Y. Koike and T. Fukase, Experiments on localization in Landau subbands with the Landau quantum number 0 and 1 of Si inversion layers 229 (1990) 60
P. Vasilopoulos and F.M. Peeters, Magneto-resistance and Hall resistance in a 1D periodically modulated two-dimensional electron gas 229 (1990) 96
T. Maniv and I.D. Vagner, Nuclear spin–lattice relaxation in quasi 2D-systems: the role of impurity scattering 229 (1990) 134
M. Büttiker, Transmission probabilities and the quantum Hall effect 229 (1990) 201
A.M. Chang and T.Y. Chang, Quenching of the Hall effect in a novel geometry 229 (1990) 209
H.U. Baranger and A.D. Stone, Geometrical effects on the Hall resistance in ballistic microstructures 229 (1990) 212
A.M. Chang and J.E. Cunningham, Transmission and reflection probabilities between the $\nu = 1$ and the $\nu = \frac{2}{3}$ quantum Hall effects 229 (1990) 216
G. Timp, R. Behringer, J.E. Cunningham and R.E. Howard, Fractional quantized Hall effect in a ballistic constriction in a two-dimensional electron gas 229 (1990) 219
S. Komiyama, H. Hirai, S. Sasa and T. Fujii, Non-equilibrium population of edge states and a role of contacts in the quantum Hall regime 229 (1990) 224
H. Akera and T. Ando, Current distribution and Hall resistance in quantum wires 229 (1990) 268
C.J.B. Ford, S. Washburn, M. Büttiker, C.M. Knoedler and J.M. Hong, The Hall effect in ballistic junctions 229 (1990) 298
I.M. Grodnensky and A.Yu. Kamaev, Properties of edge magnetoplasmons in a degenerate 2D electron gas 229 (1990) 522

Heterostructures

L. Engel, H.P. Wei, D.C. Tsui and M. Shayegan, Critical exponent in the fractional quantum Hall effect 229 (1990) 13
J.P. Eisenstein, H.L. Stormer, L.N. Pfeiffer and K.W. West, Spin-dependent properties of the fractional quantum Hall effect at odd denominators 229 (1990) 21
J.P. Eisenstein, R.L. Willett, H.L. Stormer, L.N. Pfeiffer and K.W. West, Activation energies for the even-dominator fractional quantum Hall effect 229 (1990) 31
H.P. Wei, S.W. Hwang, D.C. Tsui and A.M.M. Pruisken, New results on scaling in the integral quantum Hall effect 229 (1990) 34
D.A. Syphers, J.H. Killoran, H.E. Brakewood, F. Reis and P.J. Stiles, Comparisons of edge state versus bulk conduction in the quantum Hall regime 229 (1990) 37
V.K. Talyanskii, M. Wassermeier, A. Wixforth, J. Oshinowo, J.P. Kotthaus, I.E. Batov, G. Weimann, H. Nickel and W. Schlapp, Edge magnetoplasmons in the quantum Hall effect regime 229 (1990) 40
H. Sigg, J. Richter, K. von Klitzing and K. Ploog, Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures 229 (1990) 43
P.F. Fontein, P. Hendriks and J.H. Wolter, Contactless measurement of the spatial potential distribution in the quantum Hall effect 229 (1990) 47
P.A. Russell, F.F. Ouali, N.P. Hewett and L.J. Challis, Power dissipation in the quantum Hall regime 229 (1990) 54
S.V. Kravchenko, B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky, On the phase diagrams of the magnetoconductivity for 2D electron systems 229 (1990) 63
F.A.P. Blom, P.F. Fontein, J.H. Wolter, F.M. Peeters, X. Wu, F. Geerinckx and J.T. Devreese, Temperature dependence of the amplitude of the Shubnikov–de Haas oscillations in a two-dimensional electron gas 229 (1990) 70
J. Luo, H. Munekata, F.F. Fang and P.J. Stiles, The effects of inversion asymmetry on subband structures in GaSb–InAs–GaSb quantum wells 229 (1990) 73

W. Heuring, E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp, J.-H. Reemtsma and K. Heime, Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures 229 (1990) 76
Y. Ma, R. Fletcher, E. Zaremba, M. D'Iorio, C.T. Foxon and J.J. Harris, Effect of second subband occupancy on energy relaxation of electrons in a 2D gas at $Al_xGa_{1-x}As/GaAs$ heterojunctions at low temperatures 229 (1990) 80
D. Weiss, K. von Klitzing, K. Ploog and G. Weimann, Landau level broadening and Van Hove singularities in lateral surface superlattices 229 (1990) 88
J.L. Pichard, P.A. Mello, A.D. Stone and N. Zanon, Maximum entropy approaches to quantum transport 229 (1990) 101
R. Taboryski, E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation 229 (1990) 105
J.J. Harris, C.T. Foxon, D. Hilton, J. Hewett, C. Roberts and S. Auzoux, Acoustic phonon scattering in ultra-high mobility, low carrier density GaAs/(Al,Ga)As heterojunctions 229 (1990) 113
A. Lega, H. Karl, W. Dietsche, A. Fischer and K. Ploog, Phonon-drag effect in GaAs–AlGaAs heterostructures by monochromatic phonons 229 (1990) 116
D. Lancefield, W. Batty, C.G. Crookes, E.P. O'Reilly, A.R. Adams, K.P. Homewood, G. Sundaram, R.J. Nicholas, M. Emeny and C.R. Whitehouse, Pressure dependence of light-hole transport in strained InGaAs/GaAs 229 (1990) 122
M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126
B.B. Goldberg, D. Heiman and A. Pinczuk, Exchange enhancement of the spin gap of a spin-polarized 2D electron gas determined by optical absorption spectroscopy 229 (1990) 137
L. Brey and B.I. Halperin, Possible spin-density wave in wide parabolic quantum wells 229 (1990) 142
D.D. Awschalom, M.R. Freeman, C. Hsu and L.L. Chang, Ultrafast spin dynamics in diluted magnetic semiconductor superlattices 229 (1990) 145
Q. Fu, N. Pelekanos, A.V. Nurmikko, S. Durbin, J. Han, O. Sungki, D. Menke, M. Kobayashi and R.L. Gunshor, Strong confinement effects in CdTe/MnTe quantum wells: a new strained layer binary II–VI heterostructure 229 (1990) 148
M. Potemski, J.C. Maan, A. Fasolino, K. Ploog and G. Weimann, Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells 229 (1990) 151
K. Hirakawa, H. Sakaki and T. Ikoma, Electron–phonon interaction in $GaAs/Al_xGa_{1-x}As/GaAs$ single-barrier heterojunction diodes 229 (1990) 161
R. Ferreira and G. Bastard, Assisted hole tunneling in double quantum well structures 229 (1990) 165
E.E. Mendez and L.L. Chang, Tunneling between two-dimensional electron gases 229 (1990) 173
E. Böckenhoff and K. von Klitzing, Spectroscopy of the Fermi energy in quantizing magnetic fields via resonant tunneling 229 (1990) 182
M.S. Skolnick, A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes, Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy 229 (1990) 185
D.Y. Oberli, Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry, Tunneling in double quantum well structures: role of optical phonons 229 (1990) 189
R. Ferreira, H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne, Electron, hole and exciton tunneling in a biased quantum well structure 229 (1990) 192
M. Nido, M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler, Electron tunneling via Γ- and X-states in $GaAs/Al_{0.35}Ga_{0.65}As$ double quantum well structures 229 (1990) 195
M. Helm, P. England, E. Colas, F. DeRosa and S.J. Allen, Jr., Intersubband emission excited by high field superlattice transport 229 (1990) 199
A.M. Chang and T.Y. Chang, Quenching of the Hall effect in a novel geometry 229 (1990) 209
A.M. Chang and J.E. Cunningham, Transmission and reflection probabilities between the $\nu = 1$ and the $\nu = \frac{2}{3}$ quantum Hall effects 229 (1990) 216
G. Timp, R. Behringer, J.E. Cunningham and R.E. Howard, Fractional quantized Hall effect in a ballistic constriction in a two-dimensional electron gas 229 (1990) 219

S. Komiyama, H. Hirai, S. Sasa and T. Fujii, Non-equilibrium population of edge states and a role of contacts in the quantum Hall regime 229 (1990) 224
R.J. Haug, K. von Klitzing, K. Ploog and P. Streda, Edge state transport in high magnetic fields in a two-dimensional electron gas 229 (1990) 229
D.A. Wharam, R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg, Ballistic electron transport in quasi-one-dimensional systems 229 (1990) 233
T.P. Smith III, Quantum confinement in few-electron systems 229 (1990) 239
M. Kohl, D. Heitmann, P. Grambow and K. Ploog, Effect of the wire width on 1D magneto excitons in GaAs–AlGaAs quantum-well wires 229 (1990) 248
A.D. Wieck and K. Ploog, Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams 229 (1990) 252
K. Kern, T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi, One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires 229 (1990) 256
D. Mailly and M. Sanquer, Reduction of the quantum noise in a GaAlAs/GaAs heterojunction and n^+ GaAs wires of mesoscopic size by a magnetic field 229 (1990) 260
S. Das Sarma, S. He and Qiang Li, Optical and transport properties of one-dimensional quantum wire structures 229 (1990) 264
F.M. Peeters and P. Vasilopoulos, Electrical transport in a quantum wire 229 (1990) 271
V. Shikin, T. Demel and D. Heitmann, Plasma and single particle excitations in quasi-one-dimensional electron systems 229 (1990) 276
M.H. Degani and O. Hipólito, Electron–polar optical phonon scattering rates in multisubband quantum wire structures 229 (1990) 279
L.P. Kouwenhoven, B.J. van Wees, K.J.P.M. Harmans and J.G. Williamson, Transport through zero-dimensional states in a quantum dot 229 (1990) 290
J.G. Williamson, H. van Houten, C.W.J. Beenakker, M.E.I. Broekaart, L.I.A. Spendeler, B.J. van Wees and C.T. Foxon, Injection of ballistic hot electrons and cool holes in a two-dimensional electron gas 229 (1990) 303
P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312
T. Galloway, B.L. Gallagher, P. Beton, J.P. Oxley, M. Carter, S.P. Beaumont, S. Thoms and C.D.W. Wilkinson, Universal thermopower and rectification fluctuations 229 (1990) 326
Jun Ma, R.A. Puechner, W.-P. Liu, A.M. Kriman, G.N. Maracas and D.K. Ferry, h/e periodicity of weak localization in semiconductor surface superlattices 229 (1990) 341
D.C. Glattli, G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei, Experiments on ordering in classical and quantum 2D electron systems 229 (1990) 344
W.H. Knox, Femtosecond carrier dynamics in modulation-doped quantum wells 229 (1990) 371
G.E.W. Bauer, Correlation effects on the optical properties of confined plasmas 229 (1990) 374
M. Potemski, J.C. Maan, K. Ploog and G. Weimann, High intensity excitation luminescence of quantum wells in high magnetic fields 229 (1990) 380
A. Pinczuk, J.P. Valladares, D. Heiman, L.N. Pfeiffer and K.W. West, Light scattering determination of roton densities of states in two-dimensional Landau level excitations 229 (1990) 384
T. Zettler, C. Peters, J.P. Kotthaus and K. Ploog, Resonant Raman scattering of coupled magnetoplasmon–cyclotron modes in layered two-dimensional electron systems 229 (1990) 388
U. Bockelmann, P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp, Relevant scattering processes, band gap renormalization and Moss–Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells 229 (1990) 398
S.-R.E. Yang and A.H. MacDonald, Stress and the Van Hove singularities of hole magnetoplasmons 229 (1990) 402
R. Jalabert and S. Das Sarma, Many-body effects in GaAs-based two-dimensional electron systems 229 (1990) 405
S. Yarlagadda and G.F. Giuliani, Many-body local fields and quasiparticle renormalization effects in two-dimensional electronic systems 229 (1990) 410
J. Zhang and S. Ulloa, Single-particle and collective excitations of doped superlattices and d-parameter theory 229 (1990) 415

U. Ekenberg, Wave function engineering in asymmetric modulation-doped quantum wells 229 (1990) 419
R. Ferreira and G. Bastard, Some calculations on the Wannier–Stark states 229 (1990) 424
M. Alikacem, M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M. Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn, High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface 229 (1990) 428
J.M. Gerard and J.Y. Marzin, Optical study of probability densities in quantum well eigenstates 229 (1990) 433
A.P. Thorn, P.C. Klipstein and R.W. Glew, Electro-optical properties of GaAs doping superlattices containing extreme electric fields 229 (1990) 439
I.V. Kukushkin, A.S. Plaut, K. von Klitzing and K. Ploog, Luminescence experiments on acceptor δ-doped GaAs–AlGaAs single heterojunctions with optically tunable electron concentration 229 (1990) 447
J. Feldmann, R. Sattmann, G. Peter, E.O. Göbel, J. Nunnenkamp, J. Kuhl, J. Hebling, K. Ploog, R. Cingolani, R. Muralidharan, P. Dawson and C.T. Foxon, Determination of Γ–X transfer rates in type II (Al)GaAs/AlAs superlattices 229 (1990) 452
J.M. Gerard, J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin, Optical study of the band structure of InAs/GaAs ordered alloys 229 (1990) 456
I.N. Uraltsev, V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev, Optical phenomena elucidating carrier transport in short-period superlattices 229 (1990) 459
D. Scalbert, J. Cernogora, C. Benoit à la Guillaume, M. Maaref, F.F. Charfi and R. Planel, Exciton radiative lifetime in short period GaAs–AlAs superlattices of type II 229 (1990) 464
B. Soucail, P. Voisin, M. Voos and M. Allovon, Optical investigations of semiconductor superlattices in parallel electric and magnetic fields 229 (1990) 468
M. Schlierkamp, R. Wille, K. Greipel, U. Rössler, W. Schlapp and G. Weimann, Confined excitons under biaxial compression and tension 229 (1990) 476
H. Tuffigo, B. Lavigne, R.T. Cox, G. Lentz, N. Magnea and H. Mariette, Strong effects of electron–hole Coulomb interaction on optical properties of CdTe quantum wells 229 (1990) 480
W.M. Chen, B. Monemar, Q.X. Zhao, P.O. Holtz, M. Sundaram, J.L. Merz and A.C. Gossard, Characterization of GaAs/AlGaAs heterojunctions by optical detection of cyclotron resonance 229 (1990) 484
G. Wiggins, R.J. Nicholas, J.J. Harris and C.T. Foxon, Bound state cyclotron resonance in modulation doped GaAs–$Al_xGa_{1-x}As$ quantum wells 229 (1990) 488
G. Brozak, F. DeRosa, D.M. Hwang, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez and S.J. Allen, Jr., Measurement of the effective mass along the growth direction of a thin-barrier GaAs–AlAs superlattice 229 (1990) 493
J.M. Berroir, Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie, Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices 229 (1990) 501
L. Viña, G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang, Magnetic field effects in highly resolved two-dimensional excitons 229 (1990) 504
H. Yoshimura and H. Sakaki, Magneto-luminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well 229 (1990) 508
D.G. Hayes, M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash, Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field 229 (1990) 512
K. Karraï, X. Ying, H.D. Drew and M. Shayegan, Magnetoplasma effects in a quasi-three-dimensional electron gas 229 (1990) 515
R. Stępniewski, W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog, Exciton–one-component plasma interaction in high magnetic fields 229 (1990) 519
I.M. Grodnensky and A.Yu. Kamaev, Properties of edge magnetoplasmons in a degenerate 2D electron gas 229 (1990) 522

Indium antimonide

Ch. Sikorski and U. Merkt, Magneto-optics with few electrons in quantum dots on InSb 229 (1990) 282
M. Alikacem, M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M.

Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn, High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface 229 (1990) 428

Indium arsenide

J. Luo, H. Munekata, F.F. Fang and P.J. Stiles, The effects of inversion asymmetry on subband structures in GaSb–InAs–GaSb quantum wells 229 (1990) 73
D. Lancefield, W. Batty, C.G. Crookes, E.P. O'Reilly, A.R. Adams, K.P. Homewood, G. Sundaram, R.J. Nicholas, M. Emeny and C.R. Whitehouse, Pressure dependence of light-hole transport in strained InGaAs/GaAs 229 (1990) 122
J.M. Gerard, J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin, Optical study of the band structure of InAs/GaAs ordered alloys 229 (1990) 456
B. Soucail, P. Voisin, M. Voos and M. Allovon, Optical investigations of semiconductor superlattices in parallel electric and magnetic fields 229 (1990) 468

Indium phosphide

H.P. Wei, S.W. Hwang, D.C. Tsui and A.M.M. Pruisken, New results on scaling in the integral quantum Hall effect 229 (1990) 34
D. Lavielle, J.C. Portal, M.A. di Forte-Poisson, C. Brylinksi and E. Blondeau, Two-dimensional persistent photoconductivity and magnetic freeze-out in lightly "δ"-doped InP 229 (1990) 119
M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126
K. Kern, T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi, One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires 229 (1990) 256
D.G. Hayes, M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash, Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field 229 (1990) 512

Infrared spectroscopy

K. Kern, T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi, One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires 229 (1990) 256
Ch. Sikorski and U. Merkt, Magneto-optics with few electrons in quantum dots on InSb 229 (1990) 282
J. Alsmeier, E. Batke and J.P. Kotthaus, Field-effect tunable quantum dots on silicon 229 (1990) 287
J. Zhang and S. Ulloa, Single-particle and collective excitations of doped superlattices and *d*-parameter theory 229 (1990) 415
K. Karraï, X. Ying, H.D. Drew and M. Shayegan, Magnetoplasma effects in a quasi-three-dimensional electron gas 229 (1990) 515

Ion bombardment

A.D. Wieck and K. Ploog, Tunable in-plane-gated (IPG) quantum wire structures fabricated with directly written focused ion beams 229 (1990) 252

Ion implantation

R. Taboryski, E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation 229 (1990) 105

Light scattering

A. Pinczuk, J.P. Valladares, D. Heiman, L.N. Pfeiffer and K.W. West, Light scattering determination of roton densities of states in two-dimensional Landau level excitations 229 (1990) 384

Luminescence

D.D. Awschalom, M.R. Freeman, C. Hsu and L.L. Chang, Ultrafast spin dynamics in diluted magnetic semiconductor superlattices 229 (1990) 145
Q. Fu, N. Pelekanos, A.V. Nurmikko, S. Durbin, J. Han, O. Sungki, D. Menke, M. Kobayashi and R.L. Gunshor, Strong confinement effects in CdTe/MnTe quantum wells: a new strained layer binary II–VI heterostructure 229 (1990) 148

M. Potemski, J.C. Maan, A. Fasolino, K. Ploog and G. Weimann, Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells 229 (1990) 151
M.S. Skolnick, A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes, Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy 229 (1990) 185
D.Y. Oberli, Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry, Tunneling in double quantum well structures: role of optical phonons 229 (1990) 189
R. Ferreira, H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne, Electron, hole and exciton tunneling in a biased quantum well structure 229 (1990) 192
M. Nido, M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler, Electron tunneling via Γ- and X-states in $GaAs/Al_{0.35}Ga_{0.65}As$ double quantum well structures 229 (1990) 195
M. Helm, P. England, E. Colas, F. DeRosa and S.J. Allen, Jr., Intersubband emission excited by high field superlattice transport 229 (1990) 199
K. Kash, J.M. Worlock, A.S. Gozdz, B.P. Van der Gaag, J.P. Harbison, P.S.D. Lin and L.T. Florez, Excitation spectroscopy of strain-patterned semiconductor wires 229 (1990) 245
M. Kohl, D. Heitmann, P. Grambow and K. Ploog, Effect of the wire width on 1D magneto excitons in GaAs–AlGaAs quantum-well wires 229 (1990) 248
M. Potemski, J.C. Maan, K. Ploog and G. Weimann, High intensity excitation luminescence of quantum wells in high magnetic fields 229 (1990) 380
U. Bockelmann, P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp, Relevant scattering processes, band gap renormalization and Moss–Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells 229 (1990) 398
A.P. Thorn, P.C. Klipstein and R.W. Glew, Electro-optical properties of GaAs doping superlattices containing extreme electric fields 229 (1990) 439
I.V. Kukushkin, A.S. Plaut, K. von Klitzing and K. Ploog, Luminescence experiments on acceptor δ-doped GaAs–AlGaAs single heterojunctions with optically tunable electron concentration 229 (1990) 447
J.M. Gerard, J.Y. Marzin, C. d'Anterroches, B. Soucail and P. Voisin, Optical study of the band structure of InAs/GaAs ordered alloys 229 (1990) 456
I.N. Uraltsev, V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev, Optical phenomena elucidating carrier transport in short-period superlattices 229 (1990) 459
D. Scalbert, J. Cernogora, C. Benoit à la Guillaume, M. Maaref, F.F. Charfi and R. Planel, Exciton radiative lifetime in short period GaAs–AlAs superlattices of type II 229 (1990) 464
L. Viña, G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang, Magnetic field effects in highly resolved two-dimensional excitons 229 (1990) 504
H. Yoshimura and H. Sakaki, Magnetoluminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well 229 (1990) 508
D.G. Hayes, M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash, Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field 229 (1990) 512
R. Stępniewski, W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog, Exciton–one-component plasma interaction in high magnetic fields 229 (1990) 519

Magnetic measurements

H. Sigg, J. Richter, K. von Klitzing and K. Ploog, Percolation at $\nu = 1$ in the 2D electron system of e^--beam irradiated AlGaAs/GaAs heterostructures 229 (1990) 43
S.V. Kravchenko, B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky, On the phase diagrams of the magnetoconductivity for 2D electron systems 229 (1990) 63
F.A.P. Blom, P.F. Fontein, J.H. Wolter, F.M. Peeters, X. Wu, F. Geerinckx and J.T. Devreese, Temperature dependence of the amplitude of the Shubnikov–de Haas oscillations in a two-dimensional electron gas 229 (1990) 70

J. Luo, H. Munekata, F.F. Fang and P.J. Stiles, The effects of inversion asymmetry on subband structures in GaSb–InAs–GaSb quantum wells 229 (1990) 73
W. Heuring, E. Bangert, K. Grötsch, G. Landwehr, G. Weimann, W. Schlapp, J.-H. Reemtsma and K. Heime, Influence of warping on quantum oscillations in p-type GaAs–(GaAl)As heterostructures 229 (1990) 76
M. Shayegan, T. Sajoto, J. Jo, M. Santos and L. Engel, Magnetotransport in a wide parabolic quantum well 229 (1990) 83
D. Weiss, K. von Klitzing, K. Ploog and G. Weimann, Landau level broadening and Van Hove singularities in lateral surface superlattices 229 (1990) 88
R.R. Gerhardts and C. Zhang, Quantum magneto-transport theory for two-dimensional electron systems with unidirectional periodic modulation 229 (1990) 92
R. Taboryski, E. Veje and P.E. Lindelof, Localization and interaction effects in GaAs/AlGaAs heterostructures modified by ^{4}He-ion implantation 229 (1990) 105
D. Lavielle, J.C. Portal, M.A. di Forte-Poisson, C. Brylinksi and E. Blondeau, Two-dimensional persistent photoconductivity and magnetic freeze-out in lightly "δ"-doped InP 229 (1990) 119
M. Dobers, Electron spin resonance and Overhauser shift of two-dimensional conduction electrons 229 (1990) 126
B.B. Goldberg, D. Heiman and A. Pinczuk, Exchange enhancement of the spin gap of a spin-polarized 2D electron gas determined by optical absorption spectroscopy 229 (1990) 137
L. Brey and B.I. Halperin, Possible spin-density wave in wide parabolic quantum wells 229 (1990) 142
M. Potemski, J.C. Maan, A. Fasolino, K. Ploog and G. Weimann, Exchange splitting of the heavy hole exciton ground state in GaAs–GaAlAs quantum wells 229 (1990) 151
W. Demmerle, J. Smoliner, G. Berthold, E. Gornik, G. Weimann and W. Schlapp, Magneto-tunneling between barrier-separated 2D electron gas systems 229 (1990) 169
G. Platero, P.A. Schulz and C. Tejedor, Coherent and sequential resonant magnetotunneling through double barrier structures 229 (1990) 177
E. Böckenhoff and K. von Klitzing, Spectroscopy of the Fermi energy in quantizing magnetic fields via resonant tunneling 229 (1990) 182
R.J. Haug, K. von Klitzing, K. Ploog and P. Streda, Edge state transport in high magnetic fields in a two-dimensional electron gas 229 (1990) 229
D.A. Wharam, R. Newbury, M. Pepper, D.G. Hasko, H. Ahmed, J.E.F. Frost, D.A. Ritchie, D.C. Peacock, G.A.C. Jones, T.J. Thornton and U. Ekenberg, Ballistic electron transport in quasi-one-dimensional systems 229 (1990) 233
T.P. Smith III, Quantum confinement in few-electron systems 229 (1990) 239
M. Kohl, D. Heitmann, P. Grambow and K. Ploog, Effect of the wire width on 1D magneto excitons in GaAs–AlGaAs quantum-well wires 229 (1990) 248
K. Kern, T. Demel, D. Heitmann, P. Grambow, K. Ploog and M. Razeghi, One-dimensional electronic systems in ultra-fine mesa etched InGaAs–InAlAs–InP quantum wires 229 (1990) 256
D. Mailly and M. Sanquer, Reduction of the quantum noise in a GaAlAs/GaAs heterojunction and n^+ GaAs wires of mesoscopic size by a magnetic field 229 (1990) 260
Ch. Sikorski and U. Merkt, Magneto-optics with few electrons in quantum dots on InSb 229 (1990) 282
L.P. Kouwenhoven, B.J. van Wees, K.J.P.M. Harmans and J.G. Williamson, Transport through zero-dimensional states in a quantum dot 229 (1990) 290
J.G. Williamson, H. van Houten, C.W.J. Beenakker, M.E.I. Broekaart, L.I.A. Spendeler, B.J. van Wees and C.T. Foxon, Injection of ballistic hot electrons and cool holes in a two-dimensional electron gas 229 (1990) 303
C.J.B. Ford, A.B. Fowler, J.M. Hong, C.M. Knoedler, S.E. Laux, J.J. Wainer and S. Washburn, Gated, asymmetric rings as tunable electron interferometers 229 (1990) 307
P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312
W. Hansen, T.P. Smith III, D.P. DiVincenzo, K.Y. Lee, Y.H. Lee and R. Cheung, Quantum fluctuations in n^+ GaAs wires with invasive probes 229 (1990) 321
T. Galloway, B.L. Gallagher, P. Beton, J.P. Oxley, M. Carter, S.P. Beaumont, S. Thoms and C.D.W. Wilkinson,

Universal thermopower and rectification fluctuations 229 (1990) 326
B. Pannetier, O. Buisson, P. Gandit, Y.Y. Wang, J. Chaussy and R. Rammal, Unusual band effects in a 2D lattice: superconducting properties of artificial networks and singly connected dots 229 (1990) 331
Jun Ma, R.A. Puechner, W.-P. Liu, A.M. Kriman, G.N. Maracas and D.K. Ferry, h/e periodicity of weak localization in semiconductor surface superlattices 229 (1990) 341
D.C. Glattli, G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei, Experiments on ordering in classical and quantum 2D electron systems 229 (1990) 344
A.O. Stone, P. Fozooni, M.J. Lea and J. Frost, Magnetoresistance of 2D electrons on helium below 1 K 229 (1990) 359
B. Lehndorff, J. Löhle and K. Dransfeld, High frequency transport of electrons on helium films 229 (1990) 362
A.M.L. Janssen, R.W. van der Heijden, A.T.A.M. de Waele, H.M. Gijsman and F.M. Peeters, Negative low-field magnetoresistance of electrons on liquid helium 229 (1990) 365
M. Potemski, J.C. Maan, K. Ploog and G. Weimann, High intensity excitation luminescence of quantum wells in high magnetic fields 229 (1990) 380
U. Bockelmann, P. Hiergeist, G. Abstreiter, G. Weimann and W. Schlapp, Relevant scattering processes, band gap renormalization and Moss–Burstein shift in modulation doped narrow GaAs/AlGaAs multiple quantum wells 229 (1990) 398
M. Alikacem, M.L. Leadbeater, D.K. Maude, M. Davies, L. Eaves, M. Heath, L. Dmowski, J.C. Portal, D. Ashenford and B. Lunn, High pressure and high magnetic field studies of the two-dimensional electron gas at a CdTe/InSb interface 229 (1990) 428
I.N. Uraltsev, V.P. Kochereshko, P.S. Kop'ev, A.M. Vasiliev and D.R. Yakovlev, Optical phenomena elucidating carrier transport in short-period superlattices 229 (1990) 459
B. Soucail, P. Voisin, M. Voos and M. Allovon, Optical investigations of semiconductor superlattices in parallel electric and magnetic fields 229 (1990) 468
J.M. Berroir, Y. Guldner, J. Manasses, J.P. Vieren, M. Voos, X. Chu and J.P. Faurie, Evidence for semimetallic character in $Hg_{1-x}Zn_xTe$–CdTe superlattices 229 (1990) 501
L. Viña, G.E.W. Bauer, M. Potemski, J.C. Maan, E.E. Mendez and W.I. Wang, Magnetic field effects in highly resolved two-dimensional excitons 229 (1990) 504
H. Yoshimura and H. Sakaki, Magneto-luminescence study of carrier-induced excitonic to free-carrier transition of radiative recombination in a semiconductor quantum well 229 (1990) 508
D.G. Hayes, M.S. Skolnick, L. Eaves, P.E. Simmonds, L.L. Taylor, S.J. Bass and K.J. Nash, Photoluminescence and transport studies of wide (InGa)As/InP quantum wells in high magnetic field 229 (1990) 512
K. Karraï, X. Ying, H.D. Drew and M. Shayegan, Magnetoplasma effects in a quasi-three-dimensional electron gas 229 (1990) 515
R. Stępniewski, W. Knap, A. Raymond, G. Martinez, J.C. Maan, B. Etienne and K. Ploog, Exciton–one-component plasma interaction in high magnetic fields 229 (1990) 519

Manganese

D.D. Awschalom, M.R. Freeman, C. Hsu and L.L. Chang, Ultrafast spin dynamics in diluted magnetic semiconductor superlattices 229 (1990) 145
Q. Fu, N. Pelekanos, A.V. Nurmikko, S. Durbin, J. Han, O. Sungki, D. Menke, M. Kobayashi and R.L. Gunshor, Strong confinement effects in CdTe/MnTe quantum wells: a new strained layer binary II–VI heterostructure 229 (1990) 148

Photoconductivity

Y. Ma, R. Fletcher, E. Zaremba, M. D'Iorio, C.T. Foxon and J.J. Harris, Effect of second subband occupancy on energy relaxation of electrons in a 2D gas at $Al_xGa_{1-x}As$/GaAs heterojunctions at low temperatures 229 (1990) 80
D. Lavielle, J.C. Portal, M.A. di Forte-Poisson, C. Brylinksi and E. Blondeau, Two-dimensional persistent photoconductivity and magnetic freeze-out in lightly "δ"-doped InP 229 (1990) 119

H. Tuffigo, B. Lavigne, R.T. Cox, G. Lentz, N. Magnea and H. Mariette, Strong effects of electron–hole Coulomb interaction on optical properties of CdTe quantum wells 229 (1990) 480

Raman scattering

T. Zettler, C. Peters, J.P. Kotthaus and K. Ploog, Resonant Raman scattering of coupled magnetoplasmon–cyclotron modes in layered two-dimensional electron systems 229 (1990) 388

T. Egeler, G. Abstreiter, G. Weimann, T. Demel, D. Heitmann and W. Schlapp, Grating coupler effects on inelastic light scattering by plasmons in micro structured GaAs MQW systems 229 (1990) 391

B. Jusserand, D.R. Richards, G. Fasol, G. Weimann and W. Schlapp, Single particle excitations and plasmons in a single asymmetric modulation-doped GaAs quantum well 229 (1990) 394

Reflection spectroscopy

R. Sizmann, M. Zass and F. Koch, Resonant excitation in the interacting subband–valence band system of a narrow gap semiconductor 229 (1990) 444

Secondary ion mass spectroscopy

A.P. Thorn, P.C. Klipstein and R.W. Glew, Electro-optical properties of GaAs doping superlattices containing extreme electric fields 229 (1990) 439

Silicon

D.A. Syphers, J.H. Killoran, H.E. Brakewood, F. Reis and P.J. Stiles, Comparisons of edge state versus bulk conduction in the quantum Hall regime 229 (1990) 37

P.A. Russell, F.F. Ouali, N.P. Hewett and L.J. Challis, Power dissipation in the quantum Hall regime 229 (1990) 54

P.C. van Son, G.H. Kruithof and T.M. Klapwijk, Intrinsic sequence in the breakdown of the quantum Hall effect 229 (1990) 57

J. Wakabayashi, A. Fukano, S. Kawaji, Y. Koike and T. Fukase, Experiments on localization in Landau subbands with the Landau quantum number 0 and 1 of Si inversion layers 229 (1990) 60

S.V. Kravchenko, B.K. Medvedev, V.G. Mokerov, V.M. Pudalov, D.A. Rinberg and S.G. Semenchinsky, On the phase diagrams of the magnetoconductivity for 2D electron systems 229 (1990) 63

A.M. Dabiran, F.F. Fang, T.P. Smith III and P.J. Stiles, Floating gate technique as a thermodynamic probe of two-dimensional electron systems 229 (1990) 67

J. Alsmeier, E. Batke and J.P. Kotthaus, Field-effect tunable quantum dots on silicon 229 (1990) 287

Superconductivity

B. Pannetier, O. Buisson, P. Gandit, Y.Y. Wang, J. Chaussy and R. Rammal, Unusual band effects in a 2D lattice: superconducting properties of artificial networks and singly connected dots 229 (1990) 331

Superlattices

J.A. Brum and F. Agulló-Rueda, Stark ladder excitonic transitions 229 (1990) 472

Surface melting

M. Saitoh, Melting criterion of two-dimensional Wigner crystals on thin films of liquid He 229 (1990) 356

C.J. Mellor and W.F. Vinen, Experimental observation of crystallization and ripplon generation in a two-dimensional pool of helium ions 229 (1990) 368

Surface plasmons

T. Egeler, G. Abstreiter, G. Weimann, T. Demel, D. Heitmann and W. Schlapp, Grating coupler effects on inelastic light scattering by plasmons in micro structured GaAs MQW systems 229 (1990) 391

B. Jusserand, D.R. Richards, G. Fasol, G. Weimann and W. Schlapp, Single particle excitations and plasmons in a single asymmetric modulation-doped GaAs quantum well 229 (1990) 394

Surface roughness

D. Calecki and G. Fishman, Surface-limited resistivity in 2D-semiconductors and 2D-metals: influence of roughness modeling 229 (1990) 110

Surface stress

S.-R.E. Yang and A.H. MacDonald, Stress and the Van Hove singularities of hole magnetoplasmons 229 (1990) 402

M. Schlierkamp, R. Wille, K. Greipel, U. Rössler, W. Schlapp and G. Weimann, Confined excitons under biaxial compression and tension 229 (1990) 476

Surface thermodynamics

D.C. Glattli, G. Deville, V. Duburcq, F.I.B. Williams, E. Paris, B. Etienne and E.Y. Andrei, Experiments on ordering in classical and quantum 2D electron systems 229 (1990) 344

Tunneling

F. Chevoir and B. Vinter, Calculation of incoherent tunneling and valley current in resonant tunneling structures 229 (1990) 158

K. Hirakawa, H. Sakaki and T. Ikoma, Electron–phonon interaction in GaAs/ $Al_xGa_{1-x}As$/GaAs single-barrier heterojunction diodes 229 (1990) 161

R. Ferreira and G. Bastard, Assisted hole tunneling in double quantum well structures 229 (1990) 165

W. Demmerle, J. Smoliner, G. Berthold, E. Gornik, G. Weimann and W. Schlapp, Magneto-tunneling between barrier-separated 2D electron gas systems 229 (1990) 169

E.E. Mendez and L.L. Chang, Tunneling between two-dimensional electron gases 229 (1990) 173

G. Platero, P.A. Schulz and C. Tejedor, Coherent and sequential resonant magnetotunneling through double barrier structures 229 (1990) 177

M.S. Skolnick, A.W. Higgs, P.E. Simmonds, D.G. Hayes, G.W. Smith, H.J. Hutchinson, A.D. Pitt, C.R. Whitehouse, L. Eaves, M. Henini and O.H. Hughes, Electronic processes in double barrier resonant tunneling structures investigated by optical spectroscopy 229 (1990) 185

D.Y. Oberli, Jagdeep Shah, T.C. Damen, J.M. Kuo, R.F. Kopf and J.E. Henry, Tunneling in double quantum well structures: role of optical phonons 229 (1990) 189

R. Ferreira, H.W. Liu, C. Delalande, G. Bastard, J.F. Palmier and B. Etienne, Electron, hole and exciton tunneling in a biased quantum well structure 229 (1990) 192

M. Nido, M.G.W. Alexander, K. Reimann, K. Ploog, W.W. Rühle and K. Köhler, Electron tunneling via Γ- and X-states in $GaAs/Al_{0.35}Ga_{0.65}As$ double quantum well structures 229 (1990) 195

M. Helm, P. England, E. Colas, F. DeRosa and S.J. Allen, Jr., Intersubband emission excited by high field superlattice transport 229 (1990) 199

P.L. McEuen, B.W. Alphenaar, R.G. Wheeler and R.N. Sacks, Resonant transport effects due to an impurity in a narrow constriction 229 (1990) 312

J. Zhang and S. Ulloa, Single-particle and collective excitations of doped superlattices and *d*-parameter theory 229 (1990) 415

R. Sizmann, M. Zass and F. Koch, Resonant excitation in the interacting subband–valence band system of a narrow gap semiconductor 229 (1990) 444